



Smart solutions.
Strong relationships.

Crompton Pumps

Agricultural Pumps Price List

PRICE LIST NO-M5/02/13-14/AGRO W.E.F. 10/11/2013



PUMPS : AN OVERVIEW

Crompton Greaves Ltd, is the leading manufacturer of all types of pumps suitable for handling water, finding applications in Agricultural, Residential and Commercial Sectors.

Pumps manufactured by CG are customer friendly and are very reliable. CG has an ever increasing range of energy efficient pumps.

Today **Crompton Greaves Ltd** is the only company having a wide product range of more than 2000 varied pump models catering to different areas of application i.e. Residential, Agricultural & Commercial Sectors under one roof.

Our product range broadly covers :

Submersible pump sets: Suitable for Openwell and Borewell ranging from diameter 75mm to 250 mm

Panels: Suitable for Openwell and Borewell pumps upto 100 mm diameter

GSM Controller

Cables: Submersible cables up to 6 sq mm

Surface mounted pumps : Monosets in self-priming and non-self priming

Solar Pumping System

Jet Pumps : Shallow well, Multi stage, Twin Type and Packer Type

Diesel engine driven Pump sets

Horizontal Split case pumps

End Suction Pumps in accordance with DIN 24255

Non Clog Dewatering Self priming pumps in bare shaft, monosets and coupled

With a view to augment our manufacturing capabilities we have set up a large state of the art manufacturing plant, at MIDC Ahmednagar, with complete computerized testing facilities and adherence to latest quality standards to meet the varied needs of customers

The company has more than 350 models in the 4 star and 5 star category duly approved by the Bureau of Energy Efficiency a nodal agency under the Ministry of Power to serve varied needs in Agriculture and Industries.



Contents	Page No.
Monobloc -MB Series	4
MI Series / Two Stage Monobloc / MI-FF Series	5-6
Monobloc -MBG / MB (1PH) & MA Series	7
SS Submersible Pumpset suitable for 100 MM Borewell -4CSS Series	8
Submersible Pumpset suitable for 100 MM Borewell -4W ,100W & 4VO Series	9-10
50 Feet per Stage Submersible Pumpset suitable for 150 MM Borewell	11
SS Submersible Pumpset suitable for 150 MM Borewell -6CSS Series	12
Submersible Pumpset suitable for 150 MM Borewell -5W / 6W / 150W Series	13-17
Submersible Pumpset suitable for 175/200 MM Borewell -J & J-WX Series (Janata)	18-19
Submersible Pumpset suitable for 200 MM Borewell - CG8 Series	20-21
Submersible Pumpset suitable for 200 MM Borewell - 8W & D Series	22-23
Openwell Submersible	24-25
Diesel Engine	26
PSKR & PSDR Engines	26
Dewatering Pumps	27
Vertical Inline Pumps ILM Series / Drainage Pumps - SSEW Series	28
Tank Compressor	28
DOL Starter - 3PH	29
Deleted Ratings	30

Note :

1. Prices given in the Price List are MAXIMUM RETAIL PRICES, inclusive of all duties and taxes however prices lower than these can be charged.
2. This price sheet supersedes the price list no.M5/01/13-14 Dated 01.04.2013 and all previous price list
3. Price (MRP) are net and subject to our General Terms of Business.
4. Prices (MRP) are subject to change without notice.
5. All MRP are in INR Rupees

MONOBLOC TYPE - MB SERIES

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	MONOBLOC TYPE - MB SERIES						Dt. 10.11.2013
THREE PHASE							
Rating	PIPE SIZE SUC X DEL(MM)	HP	KW	RPM(SYN)	HEAD RANGE (METRES)	DISCHARGE RANGE(LPM)	MRP
MBG12(3PHASE)	40 X 32	1	0.75	3000	9-22.5	175-85	8900
MBML12(3PH)	50 X 50	1	0.75	3000	6-12	400-225	8900
MBG1.52	40 X 32	1.5	1.1	3000	15-28.5	175-50	10800
MBK22	50x40	2	1.5	3000	10.5-18	430-200	13175
MBKH22	50x40	2	1.5	3000	18-27	190-110	14025
MBN22	65x50	2	1.5	3000	13.5-21	500-275	14025
MBK32	50x40	3	2.2	3000	15-27	450-150	17200
MBK32LF	50x40	3	2.2	3000	15-27	450-150	16350
MBKS32	50x40	3	2.2	3000	24-36	250-110	17475
MBN32	65x50	3	2.2	3000	15-25.5	525-165	17475
MBN32LF	65x50	3	2.2	3000	15-25.5	525-165	16675
MBNL32FS	65x50	3	2.2	3000	12-19.5	725-300	17475
MBNH3	65x50	3	2.2	1500	12-19.5	575-200	18350
MBQ32	80 X 80	3	2.2	3000	6-15	1130-500	17475
MBP32FS	80x65	3	2.2	3000	6-15	1100-470	17475
MBP52FS	80x65	5	3.7	3000	15-24	850-450	22475
MBP5	80x65	5	3.7	1500	9-16.5	1270-660	23875
MBQ52	80 X 80	5	3.7	3000	6-21	1500-700	22475
MBNH52FS	65x50	5	3.7	3000	15-30	825-250	22475
MBNS52	65x50	5	3.7	3000	33-42	400-200	22475
MBK52	50x40	5	3.7	3000	24-39	455-200	22175
MBKS52	50x40	5	3.7	3000	36-51	260-120	22475
OMBR5	100x80	5	3.7	1500	6-13.5	1900-600	24700
MBS52	100x100	5	3.7	3000	6-15	1850-1050	22475
OMBS5	100x100	5	3.7	1500	7.5-13.5	1900-600	24700
MBK7.52	50x40	7.5	5.5	3000	33-54	450-200	29250
MBN7.52	65x50	7.5	5.5	3000	24-37.5	780-320	29250
MBP7.52FS	80x65	7.5	5.5	3000	21-30	1080-650	29250
MBNH7.52	65x50	7.5	5.5	3000	27-42	680-300	29250
MBS7.52	100x100	7.5	5.5	3000	12-24	1680-840	29250
OMBR7.5	100x80	7.5	5.5	1500	12-18	1750-700	31300
OMBS7.5	100x100	7.5	5.5	1500	9-15	2050-1600	31300
MBNH10.2	65x50	10	7.5	3000	45-60	550-300	35800
MBP10.2	80x65	10	7.5	3000	24-39	1150-550	35800
MBPH10.2	80x65	10	7.5	3000	24-42	1150-400	35800
MBR10.2	100x80	10	7.5	3000	24-33	1400-700	35800
MBS10.2	100x100	10	7.5	3000	15-30	1850-900	35800
MBW10	150 x 150	10	7.5	1500	6-13	4246-2020	43300
MBP12.52	80x65	12.5	9.3	3000	21-45	1250-670	40675
MBS12.52	100x100	12.5	9.3	3000	18-33	2030-750	40675
MBN15.2	65x50	15	11	3000	51-75	550-310	42300
MBP15.2FS	80x65	15	11	3000	24-51	1480-700	42300
MBR15.2	100x80	15	11	3000	24-39	1875-1000	42300
MBS15.2	100x100	15	11	3000	18-36	2142-1152	42300
MBR20.2	100x80	20	15	3000	30-45	2000-1100	61050
MBU20.2	125 x 125	20	15	3000	6-30	2890-920	61050
MBR25.2	100x80	25	18.5	3000	48-60	1500-800	84950
MBR30.2	100x80	30	22	3000	48-69	1700-400	99775

MONOBLOC TYPE - MI SERIES

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	MONOBLOC TYPE - MI SERIES						Dt. 10.11.2013
RATING	PIPE SIZE SUC X DEL(MM)	HP	KW	RPM	HEAD RANGE (METRES)	DISCHARGE RANGE(LPM)	MRP
MIK22B	50 x 40	2.0	1.5	2830	12-18	405-200	13800
MIK32B	50 x 40	3.0	2.2	2830	15-27	450-150	18050
MIKS32B	50 x 40	3.0	2.2	2830	24-36	250-110	18050
MIN32B	65 x 50	3.0	2.2	2830	15-24	525-275	18050
MIK52B	50 x 40	5.0	3.7	2840	24-39	455-200	22950
MIKS52B	50 x 40	5.0	3.7	2840	36-51	260-120	22950
MINH52B	65 x 50	5.0	3.7	2840	15-30	825-250	22950
MIP52B	80 x 65	5.0	3.7	2840	15-24	850-450	22950
MIQ52B	80 x 80	5.0	3.7	2840	6-21	1500-700	22950
MIS52B	100 x 100	5.0	3.7	2840	6-15	1850-1040	22950
MIK7.52B	50 x 40	7.5	5.5	2880	33-54	450-200	29600
MIN7.52B	65 x 50	7.5	5.5	2880	24-36	780-400	29600
MIP7.52B	80 x 65	7.5	5.5	2880	21-27	1080-825	29600
MIS7.52B	100 x 100	7.5	5.5	2880	12-24	1680-840	29600
MINH10.2B	65 x 50	10.0	7.5	2880	45-60	550-300	36525
MIP10.2B	80 x 65	10.0	7.5	2880	24-39	1150-550	36525
MIS10.2B	100 x 100	10.0	7.5	2880	15-27	1850-900	36525
MIS12.52B	100 x 100	12.5	9.3	2890	18-33	2030-750	43175
MIP15.2B	80 x 65	15.0	11.0	2920	24-51	1480-700	45775
MIPH15.2B	100 x 80	15.0	11.0	2920	30-54	1240-500	45775
MIR15.2B	100 x 80	15.0	11.0	2920	24-39	1875-1000	45775
MIS15.2B	100 x 100	15.0	11.0	2920	18-36	2140-1150	45775
MIR20.2B	100 x 80	20.0	15.0	2920	30-45	2000-1100	66725
MIRH20.2B	100 x 80	20.0	15.0	2920	30-48	2000-1170	66725
MIR25.2B	100 x 80	25.0	18.5	2920	48-60	1500-800	89700
MIR30.2B	100 x 80	30.0	22.0	2920	48-69	1700-400	108425

Note: B=CAST IRON IMPELLER + MECHANICAL SEAL + STANLESS STEEL SHAFT

Rating	PIPE SIZE SUC X DEL(MM)	HP	KW	RPM(SYN)	HEAD RANGE (METRES)	DISCHARGE RANGE(LPM)	MRP
SINGLE PHASE-TWO STAGE PUMP-TMEP SERIES							
TMEP1.5	32 X 25	1.5	1.1	3000	16.5-36	140-70	12300
TMEP1.5(3PH)	32 X 25	1.5	1.1	3000	16.5-36	140-70	12300
TMEP2	32 X 25	2	1.5	3000	21-48	155-50	13750
TMEP2(3PH)	32 X 25	2	1.5	3000	21-48	155-50	13750
FIRE FIGHTING PUMPS							
MIP32FF	80 x 65	3	2.2	3000	6-18	1050 - 450	18150
MIN32FF	65 X 50	3	2.2	3000	40903	525 - 160	18150
MIP52FF	80 X 65	5	3.7	3000	15 - 27	900 - 450	22675
MIP7.52FF	80 X 65	7.5	5.5	3000	21 - 33	1100 - 650	29525
MIR20.2FF	100 X 80	20	15	3000	30 - 45	2000 - 1100	63500
THREE PHASE-TWO STAGE MONOBLOC							
TMG32	40 x 32	3	2.2	3000	30-55	190-45	19925
TMG52	40 x 32	5	3.7	3000	30-62	200-50	23000
TMN7.52G	65 x 50	7.5	5.5	3000	51-69	300-120	29950
TMN10.2G	65 x 50	10	7.5	3000	51-81	355-50	35500

MONOBLOC TYPE - MI SERIES

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	MONOBLOC TYPE - MI-C SERIES						Dt. 10.11.2013
RATING	PIPE SIZE SUC X DEL(MM)	HP	KW	RPM	HEAD RANGE (METRES)	DISCHARGE RANGE(LPM)	MRP
MIK22C	50 x 40	2.0	1.5	2830	12-18	405-200	14875
MIK32C	50 x 40	3.0	2.2	2830	15-27	450-150	19575
MIKS32C	50 x 40	3.0	2.2	2830	24-36	250-110	19575
MIN32C	65 x 50	3.0	2.2	2830	15-24	525-275	19575
MIK52C	50 x 40	5.0	3.7	2840	24-39	455-200	24875
MIKS52C	50 x 40	5.0	3.7	2840	36-51	260-120	24875
MINH52C	65 x 50	5.0	3.7	2840	15-30	825-250	24875
MIP52C	80 x 65	5.0	3.7	2840	15-24	850-450	24875
MIQ52C	80 x 80	5.0	3.7	2840	6-21	1500-700	24875
MIS52C	100 x 100	5.0	3.7	2840	6-15	1850-1040	24875
MIK7.52C	50 x 40	7.5	5.5	2880	33-54	450-200	32000
MIN7.52C	65 x 50	7.5	5.5	2880	24-36	780-400	32000
MIP7.52C	80 x 65	7.5	5.5	2880	21-27	1080-825	32000
MIS7.52C	100 x 100	7.5	5.5	2880	12-24	1680-840	32000
MINH10.2C	65 x 50	10.0	7.5	2880	45-60	550-300	39525
MIP10.2C	80 x 65	10.0	7.5	2880	24-39	1150-550	39525
MIS10.2C	100 x 100	10.0	7.5	2880	15-27	1850-900	39525
MIS12.52C	100 x 100	12.5	9.3	2890	18-33	2030-750	46650
MIP15.2C	80 x 65	15.0	11	2920	24-51	1480-700	49475
MIPH15.2C	100 x 80	15.0	11	2920	30-54	1240-500	49475
MIR15.2C	100 x 80	15.0	11	2920	24-39	1875-1000	49475
MIS15.2C	100 x 100	15.0	11	2920	18-36	2140-1150	49475
MIR20.2C	100 x 80	20.0	15	2920	30-45	2000-1100	72075
MIRH20.2C	100 x 80	20.0	15	2920	30-48	2000-1170	72075
MIR25.2C	100 x 80	25.0	18.5	2920	48-60	1500-800	96900
MIR30.2C	100 x 80	30.0	22	2920	48-69	1700-400	117125
MI-D SERIES							
MIK22D	50 x 40	2.0	1.5	2830	12-18	405-200	14375
MIK32D	50 x 40	3.0	2.2	2830	15-27	450-150	18775
MIN32D	65 x 50	3.0	2.2	2830	15-24	525-275	18775
MIK52D	50 x 40	5.0	3.7	2840	24-39	455-200	23875
MINH52D	65 x 50	5.0	3.7	2840	15-30	825-250	23875
MIP52D	80 x 65	5.0	3.7	2840	15-24	850-450	23875
MIQ52D	80 x 80	5.0	3.7	2840	6-21	1500-700	23875
MIS52D	100 x 100	5.0	3.7	2840	6-15	1850-1040	23875
MIK7.52D	50 x 40	7.5	5.5	2880	33-54	450-200	30800
MIN7.52D	65 x 50	7.5	5.5	2880	24-36	780-400	30800
MIP7.52D	80 x 65	7.5	5.5	2880	21-27	1080-825	30800
MIS7.52D	100 x 100	7.5	5.5	2880	12-24	1680-840	30800
MINH10.2D	65 x 50	10.0	7.5	2880	45-60	550-300	38025
MIP10.2D	80 x 65	10.0	7.5	2880	24-39	1150-550	38025
MIS10.2D	100 x 100	10.0	7.5	2880	15-27	1850-900	38025
MIS12.52D	100 x 100	12.5	9.3	2890	18-33	2030-750	44950
MIP15.2D	80 x 65	15.0	11	2920	24-51	1480-700	47650
MIPH15.2D	100 x 80	15.0	11	2920	30-54	1240-500	47650
MIR15.2D	100 x 80	15.0	11	2920	24-39	1875-1000	47650
MIS15.2D	100 x 100	15.0	11	2920	18-36	2140-1150	47650
MIR20.2D	100 x 80	20.0	15	2920	30-45	2000-1100	69375
MIRH20.2D	100 x 80	20.0	15	2920	30-48	2000-1170	69375
MIR25.2D	100 x 80	25.0	18.5	2920	48-60	1500-800	93300
MIR30.2D	100 x 80	30.0	22	2920	48-69	1700-400	112800

Note: C= GUN METAL IMPELLER + MECHANICAL SEAL + STAINLESS STEEL SHAFT. D= STAINLESS STEEL IMPELLER + MECHANICAL SEAL + STAINLESS STEEL SHAFT.

MONOBLOC TYPE - MBG SERIES

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	MBG SERIES (SINGLE PHASE)						Dt. 10.11.2013
RATING	PIPE SIZE SUC X DEL(MM)	HP	KW	RPM(SYN)	HEAD RANGE (METRES)	DISCHARGE RANGE(LPM)	MRP
MBE052	32 X 25	0.5	0.37	3000	9-19.5	80-25	6025
MBJ052LVSF(1PH)	40 X 40	0.5	0.37	3000	7.5-13.5	210-80	6000
MBJ052SF(1PH)	40 X 40	0.5	0.37	3000	7.5-13.5	210-80	6000
MBM052LVSF	50 X 50	0.5	0.37	3000			6000
MBD12	25 X 25	1	0.75	3000	19.5-27	100-30	8625
MBD052-VX	25 X 25	0.5	0.37	3000	9 - 18	110 - 25	4700
MBD12-VX	25 X 25	1	0.75	3000	21 - 30	100 - 30	7900
MBDL12A(1Ph)	25 X 25	1	0.75	3000	12-30	82-45	7900
MBG12	40 X 32	1	0.75	3000	9-22.5	175-85	8600
MBJ12(1ph)	40 X 40	1	0.75	3000	9-22.5	175-85	8600
MBK12(1ph)	50 X 40	1	0.75	3000	9-15	380-200	8600
MBM12(1Ph)	50 X 50	1	0.75	3000	9-15	300-160	8600
MBM12(1Ph)LV	50 X 50	1	0.75	3000	11-15	245-120	8600
MBM12(I)	50 X 50	1	0.75	3000	11-15	245-120	8600
MBML12(1Ph)	50 X 50	1	0.75	3000	6-12	400-225	8600
MBE12(1Ph)	32 X 25	1	0.75	3000	19.5-27	90-30	8600
MBK1.52C(1ph)	50 X 40	1.5	1.1	3000	9-15	410-150	10150
MBKH1.52C(1ph)	50 X 40	1.5	1.1	3000	13.5-18	360-100	10150
MBKS1.52(1ph)	50 X 40	1.5	1.1	3000	15-33	175-50	10150
MBM1.52C	50 X 50	1.5	1.1	3000	9-16.5	430-160	11100
MBG1.52(1pH)	40 X 32	1.5	1.1	3000	15-28.5	175-50	10800
MBQ1.52(1PH)	80 X 80	1.5	1.1	3000	6-12	900-420	11825
MBQ1.52(1ph)LV	80 X 80	1.5	1.1	3000	6-12	900-420	11825
MBK22(1ph)	50 X 40	2	1.5	3000	10.5-24	410-200	12275
MBN22(1PH)	65X50	2	1.5	3000	12-20	550-200	13150
MBN22(I)	65X50	2	1.5	3000	12-20	550-200	13150
MBM22(1PH)	50X50	2	1.5	3000	12-20	550-200	13150
MBM22(I)	50X50	2	1.5	3000	12-20	550-200	13150
MBQ22(1PH)	80 X 80	2	1.5	3000	6-13.5	930-400	13150
MBQ22(1PH)LV	80 X 80	2	1.5	3000	6-11	720-260	13150
MBQ22(I)	80 X 80	2	1.5	3000	6-13.5	930-400	13150
MBQ22C(I)	80 X 80	2	1.5	3000	6-13.5	930-400	13300
MBJ22(1ph)	40 X 40	2	1.5	3000	24-32	210-130	12425
MA SERIES--SINGLE PHASE							
MADL052	25 X 25	0.5	0.37	3000	8-15	110-40	4700
MAD052	25 X 25	0.5	0.37	3000	12-22	120-20	5725
MAD052-VX	25 X 25	0.5	0.37	3000	12-22	120-20	6050
MAJ052	40 X 40	0.5	0.37	3000	8-12	275-100	6000
MAJ052LV	40 X 40	0.5	0.37	3000	8-12	275-100	6000
MAM12	50 X 50	1	0.75	3000	6-12	450-220	8500
MAM12LV	50 X 50	1	0.75	3000	6-12	450-220	8500
MAQ12	80 X 80	1	0.75	3000	5-9	775-367	9350
MAQ12LV	80 X 80	1	0.75	3000	5-9	775-367	9575
MAN1.52	65X50	1.5	1.1	3000	8-14	550-380	10275
MAN1.52LV	65X50	1.5	1.1	3000	8-14	550-380	10750
MAN1.52(I)	65X50	1.5	1.1	3000	8-14	550-380	10750
MB SERIES - SINGLE PHASE							
MBN32(1 PH)	65x50	3	2.2	3000	15-25.5	525-165	20250
MBQ32(1PH)	80 X 80	3	2.2	3000	6-15	1130-500	20900

STAINLESS STEEL SUBMERSIBLE PUMPSETS-SUITABLE FOR 100 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	STAINLESS STEEL SUBMERSIBLE PUMPSET						Dt. 10.11.2013
STAINLESS STEEL SUBMERSIBLE PUMPSET SUITABLE FOR 100 MM BOREWELL							
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
4CSSF3-3045	45	3	2.2	32	261-45	0-64	41325
4CSSF3-3050	50	3	2.2	32	290-50	0-64	43875
4CSSF3-4060	60	4	3	32	348-60	0-64	50150
4CSSF5-3030	30	3	2.2	40	180-30	0-100	35950
4CSSF5-3036	36	3	2.2	40	216-36	0-100	38075
4CSSF5-4040	40	4	3	40	232-40	0-100	41850
4CSSF5-4046	46	4	3	40	267-46	0-100	44025
4CSSF8 - 3015	15	3.0	2.20	50	88.5 - 30	0 - 180	42325
4CSSF8 - 3018	18	3.0	2.20	50	106.2 - 36	0 - 180	45100
4CSSF8 - 4020	20	4.0	3.00	50	118 - 40	0 - 180	49075
4CSSF8 - 4022	22	4.0	3.00	50	129.8 - 44	0 - 180	51025
4CSSF3-3045(3PH)	45	3	2.2	32	261-45	0-64	41325
4CSSF3-3050(3PH)	50	3	2.2	32	290-50	0-64	43875
4CSSF3-4060(3PH)	60	4	3	32	348-60	0-64	51175
4CSSF3-5075(3PH)	75	5	3.7	32	435-75	0-64	59225
4CSSF5-3030(3PH)	30	3	2.2	40	180-30	0-100	35950
4CSSF5-3036(3PH)	36	3	2.2	40	216-36	0-100	38075
4CSSF5-4040(3PH)	40	4	3	40	232-40	0-100	41850
4CSSF5-4046(3PH)	46	4	3	40	267-46	0-100	44025
4CSSF5-5050(3PH)	50	5	3.7	40	290-50	0-100	47650
4CSSF5-6060(3PH)	60	6	4	40	348-60	0-100	54325
4CSSF5-7575(3PH)	75	7.5	5.5	40	435-75	0-100	61850
4CSSF8 - 3015(3PH)	15	3.0	2.20	50	88.5 - 30	0 - 180	42325
4CSSF8 - 3018(3PH)	18	3.0	2.20	50	106.2 - 36	0 - 180	45100
4CSSF8 - 4020(3PH)	20	4.0	3.00	50	118 - 40	0 - 180	49075
4CSSF8 - 4022(3PH)	22	4.0	3.00	50	129.8 - 44	0 - 180	51025
4CSSF8 - 5025(3PH)	25	5.0	3.70	50	147.5 - 50	0 - 180	55275
4CSSF8 - 5028(3PH)	28	5.0	3.70	50	165.2 - 56	0 - 180	60450
4CSSF8 - 5030(3PH)	30	5.0	3.70	50	177 - 60	0 - 180	62200
4CSSF8 - 6035(3PH)	35	6.0	4.50	50	206.5 - 70	0 - 180	67775
4CSSF8 - 7540(3PH)	40	7.5	5.50	50	236 - 80	0 - 180	74425
4CSSF8 - 7544(3PH)	44	7.5	5.50	50	259.6 - 88	0 - 180	78125

Note : For 0.5HP to 2HP, please refer DOM Price List.

SUBMERSIBLE PUMPSETS-SUITABLE FOR 100 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/01/13-14/AGRO						PRICE LIST
	SUBMERSIBLE PUMPSET SUITABLE FOR 100 MM BOREWELL						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
4W SERIES-WATER FILLED MOTOR							
4W30G3J	30	3	2.2	32	200-47	0-40	28550
4W32G3J	32	3	2.2	32	211-49	0-35	29175
4W17B3J	17	3	2.2	40	145-52	0-100	23400
4W19B3J	19	3	2.2	40	164-60	0-100	24350
4W16C3J	16	3	2.2	40	103-37	0-140	23975
4W17C3J	17	3	2.2	40	115-41	0-140	24350
4W17D3J	17	3	2.2	40	98-47	50-130	24350
4W15E3J	15	3	2.2	50	74-20	50-200	25500
4W7F3J	7	3	2.2	50	32-7	150-330	24975
4W30L3J	30	3	2.2	40	197-66	10-60	28350
4W34L3J	34	3	2.2	40	221-74	10-60	29725
4W35L3J	35	3	2.2	40	233-78	10-60	30250
4W30G3TPJ	30	3	2.2	32	200-47	0-40	27825
4W32G3TPJ	32	3	2.2	32	211-49	0-35	28450
4W17D3TPJ	17	3	2.2	40	98-47	50-130	23925
4W30D5TPJ	30	5	3.7	40	162-78	50-130	35950
4W15E3TPJ	15	3	2.2	50	74-20	50-200	24750
4W25E5TPJ	25	5	3.7	50	123-10	50-230	36675
4W7F3TPJ	7	3	2.2	50	32-7	150-330	23675
4W12F5TPJ	12	5	3.7	50	50-11	150-330	32700
4W40B5TPP	40	5	3.7	40	285-11	0-100	40925
4W48B5TPP	48	5	3.7	40	315-11	0-100	44275
4W30L3TPJ	30	3	2.2	40	197-66	10-60	27525
4W34L3TPJ	34	3	2.2	40	221-74	10-60	28900
4W35L3TPJ	35	3	2.2	40	233-78	10-60	29450
100W SERIES-WATER FILLED MOTOR							
100W12RA3	12	3.00	2.20	38	80-40	0-150	23075
100W12RA3-50	12	3.00	2.20	50	80-40	0-150	23075
100W15RA3	15	3.00	2.20	38	100-50	0-150	23950
100W15RA3-50	15	3.00	2.20	50	100-50	0-150	23950
100W25RA5	25	5.00	3.70	38	167-83	0-150	33725
100W12RA3TP	12	3.00	2.20	38	80-40	0-150	21875
100W12RA3TP-50	12	3.00	2.20	50	80-40	0-150	21875
100W15RA3TP	15	3.00	2.20	38	100-50	0-150	22750
100W15RA3TP-50	15	3.00	2.20	50	100-50	0-150	22750
100W25RA5TP	25	5.00	3.70	38	167-83	0-150	29650
100W25RA5TP-50	25	5.00	3.70	50	167-83	0-150	29650
100W31RA6TP	31	6.00	4.50	38	207-103	0-150	34225
100W18RB3	18	3.00	2.20	38	104-50	0-120	24500
100W22RB3	22	3.00	2.20	38	127-61	0-120	25700
100W18RB3TP	18	3.00	2.20	38	104-50	0-120	23450

Note: For 0.5HP to 2HP, Please refer DOM Price List

SUBMERSIBLE PUMPSETS-SUITABLE FOR 100 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	SUBMERSIBLE PUMPSET SUITABLE FOR 100 MM BOREWELL						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
100W SERIES-WATER FILLED MOTOR							
100W22RB3TP	22	3.00	2.20	38	127-61	0-120	24525
100W18RH3	18	3.00	2.20	32	144-47	0-84	24400
100W18RH3-40	18	3.00	2.20	40	144-47	0-84	24400
100W21RH3	21	3.00	2.20	32	168-55	0-84	24900
100W21RH3-40	21	3.00	2.20	40	168-55	0-84	24900
100W30RH3	30	3.00	2.20	32	240-80	0-84	27875
100W18RH3TP	18	3.00	2.20	32	144-47	0-84	23225
100W18RH3TP-40	18	3.00	2.20	40	144-47	0-84	23225
100W21RH3TP	21	3.00	2.20	32	168-55	0-84	23750
100W21RH3TP-40	21	3.00	2.20	40	168-55	0-84	23750
100W30RH3TP	30	3.00	2.20	32	240-80	0-84	26750
100W40RH5TP	40	5.00	3.70	32	320-107	0-84	32900
100W7RQ3	7	3.00	2.20	50	46-19	0-420	22675
100W7RQ3TP	7	3.00	2.20	50	46-19	0-420	21650
100W10RP3	10	3.00	2.20	50	66-17	0-250	23400
100W12RP3	12	3.00	2.20	50	79-20	0-250	24350
100W10RP3TP	10	3.00	2.20	50	66-17	0-250	22450
100W12RP3TP	12	3.00	2.20	50	79-20	0-250	23375
100W16RP5TP	16	5.00	3.70	50	106-27	0-250	33125
100W6RS3	6	3	2.2	65	37-12	0-500	28800
100W6RS3TP	6	3	2.2	65	37-12	0-500	27675
100W7RS3	7	3	2.2	65	43-14	0-500	30200
100W7RS3TP	7	3	2.2	65	43-14	0-500	29125
4VO SERIES-OIL FILLED MOTOR							
4VO30RH3	30	3	2.2	32	200-75	30-80	28025
4VO6RS3	6	3	2.2	65	37-12	0-500	30825
4VO6RS3TP	6	3	2.2	65	37-12	0-500	26775
4VO7RS3	7	3	2.2	65	43-14	0-500	32375
4VO7RS3TP	7	3	2.2	65	43-14	0-500	28275

Note: For 0.5HP to 2HP, Please refer RESI Price List

50 FEET PER STAGE SUBMERSIBLE PUMPSETS-SUITABLE FOR 150 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	50 FEET PER STAGE SUBMERSIBLE PUMPSETS SUITABLE FOR 150 MM BOREWELL						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
650CS60-0305	5	3	2.2	65 (2.5")	75 - 30	0 - 225	33250
650CS60-0407	7	4	3	65 (2.5")	105 - 40	0 - 225	35500
650CS60-0508	8	5	3.7	65 (2.5")	120 - 45	0 - 225	38250
650CS60-0610	10	6	4.5	65 (2.5")	148 - 60	0 - 225	42250
650CS60-7512	12	7.5	5.5	65 (2.5")	180 - 70	0 - 225	46500
650CS60-1016	16	10	7.5	65 (2.5")	240 - 95	0 - 225	57250
650CS60-12520	20	12.5	9.3	65 (2.5")	300 - 120	0 - 225	67000
650CS60-1524	24	15	11	65 (2.5")	355 - 140	0 - 225	77000
650CS60-17527	27	17.5	13	65 (2.5")	415 - 150	0 - 225	81750
650CS60-2030	30	20	15	65 (2.5")	465 - 180	0 - 225	89250
650CS80-0304	4	3	2.2	65 (2.5")	64 - 20	0 - 330	32250
650CS80-0405	5	4	3	65 (2.5")	80 - 28	0 - 330	34750
650CS80-0506	6	5	3.7	65 (2.5")	96 - 32	0 - 330	37250
650CS80-0608	8	6	4.5	65 (2.5")	128 - 42	0 - 330	41250
650CS80-7510	10	7.5	5.5	65 (2.5")	160 - 55	0 - 330	45750
650CS80-1012	12	10	7.5	65 (2.5")	192 - 65	0 - 330	51500
650CS80-12515	15	12.5	9.3	65 (2.5")	240 - 80	0 - 330	61750
650CS80-1518	18	15	11	65 (2.5")	288 - 105	0 - 330	68500
650CS80-17521	21	17.5	13	65 (2.5")	336 - 120	0 - 330	75250
650CS80-2024	24	20	15	65 (2.5")	384 - 140	0 - 330	83000
650CS100-0303	3	3	2.2	65 (2.5")	48 - 9	0 - 390	31000
650CS100-0404	4	4	3	65 (2.5")	64 - 12	0 - 390	34000
650CS100-0505	5	5	3.7	65 (2.5")	80 - 15	0 - 390	36750
650CS100-0606	6	6	4.5	65 (2.5")	96 - 18	0 - 390	38750
650CS100-7508	8	7.5	5.5	65 (2.5")	128 - 22	0 - 390	42750
650CS100-1010	10	10	7.5	65 (2.5")	160 - 30	0 - 390	48750
650CS100-12512	12	12.5	9.3	65 (2.5")	192 - 35	0 - 390	56500
650CS100-1515	15	15	11	65 (2.5")	240 - 42	0 - 390	65250
650CS100-17518	18	17.5	13	65 (2.5")	288 - 52	0 - 390	70750
650CS100-2020	20	20	15	65 (2.5")	320 - 60	0 - 390	76500
650CS100-2525	25	25	18.5	65 (2.5")	400 - 75	0 - 390	92125
650CS100-3028	28	30	22	65 (2.5")	448 - 84	0 - 390	99650
650CS125-0403	3	4	3	65 (2.5")	45 - 8	0 - 560	32750
650CS125-0504	4	5	3.7	65 (2.5")	60 - 10	0 - 560	33500
650CS125-0605	5	6	4.5	65 (2.5")	75 - 14	0 - 560	36500
650CS125-7506	6	7.5	5.5	65 (2.5")	90 - 16	0 - 560	40000
650CS125-1008	8	10	7.5	65 (2.5")	120 - 24	0 - 560	46250
650CS125-12510	10	12.5	9.3	65 (2.5")	150 - 28	0 - 560	54000
650CS125-1512	12	15	11	65 (2.5")	180 - 34	0 - 560	59500
650CS125-17514	14	17.5	13	65 (2.5")	210 - 40	0 - 560	64750
650CS125-2016	16	20	15	65 (2.5")	240 - 45	0 - 560	71500
650CS125-2520	20	25	18.5	65 (2.5")	300 - 56	0 - 560	84325
650CS125-3024	24	30	22	65 (2.5")	360 - 68	0 - 560	94475
650CS150-0402	2	4	3	65 (2.5")	30 - 7	0 - 590	31250
650CS150-0503	3	5	3.7	65 (2.5")	45 - 10	0 - 590	33750
650CS150-0604	4	6	4.5	65 (2.5")	60 - 15	0 - 590	36750
650CS150-7505	5	7.5	5.5	65 (2.5")	75 - 18	0 - 590	40250
650CS150-1007	7	10	7.5	65 (2.5")	105 - 26	0 - 590	46500
650CS150-12508	8	12.5	9.3	65 (2.5")	120 - 30	0 - 590	51000
650CS150-1510	10	15	11	65 (2.5")	150 - 40	0 - 590	57000
650CS150-17512	12	17.5	13	65 (2.5")	180 - 45	0 - 590	60750
650CS150-2013	13	20	15	65 (2.5")	195 - 50	0 - 590	65250
650CS150-2516	16	25	18.5	65 (2.5")	240 - 64	0 - 590	78100
650CS150-3018	18	30	22	65 (2.5")	270 - 72	0 - 590	84425
650CS150-3020	20	30	22	65 (2.5")	300 - 80	0 - 590	87700

STAINLESS STEEL SUBMERSIBLE PUMPSETS-SUITABLE FOR 150 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	STAINLESS STEEL SUBMERSIBLE PUMPSETS						Dt. 10.11.2013
STAINLESS STEEL SUBMERSIBLE PUMPSETS SUITABLE FOR 150 MM BOREWELL							
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
6CSSF17-0305	5	3	2.2	65	55 - 5	0 - 440	44575
6CSSF17-0406	6	4	3	65	66 - 6	0 - 440	48225
6CSSF17-0508	8	5	3.7	65	88 - 8	0 - 440	53625
6CSSF17-7509	9	7.5	5.5	65	99 - 9	0 - 440	59275
6CSSF17-7512	12	7.5	5.5	65	132 - 12	0 - 440	65075
6CSSF17-1016	16	10	7.5	65	176 - 16	0 - 440	76450
6CSSF17-12520	20	12.5	9.3	65	220 - 20	0 - 440	92625
6CSSF17-1524	24	15	11	65	264 - 24	0 - 440	103750
6CSSF17-17527	27	17.5	13	65	297 - 27	0 - 440	110225
6CSSF17-2032	32	20	15	65	352 - 32	0 - 440	123350
6CSSF17-2537	37	25	18.5	65	407 - 37	0 - 440	139525
6CSSF17-3043	43	30	22	65	473 - 43	0 - 440	157100
6CSSF30-0302	2	3	2.2	80	21.6 - 2	0 - 770	40550
6CSSF30-0403	3	4	3	80	32.4 - 3	0 - 770	44950
6CSSF30-0505	5	5	3.7	80	54 - 5	0 - 770	51800
6CSSF30-7507	7	7.5	5.5	80	75.6 - 7	0 - 770	60800
6CSSF30-1009	9	10	7.5	80	97.2 - 9	0 - 770	69775
6CSSF30-12512	12	12.5	9.3	80	129.6 - 12	0 - 770	86225
6CSSF30-1513	13	15	11	80	140.4 - 13	0 - 770	92200
6CSSF30-17515	15	17.5	13	80	162 - 15	0 - 770	98225
6CSSF30-2017	17	20	15	80	183.6 - 17	0 - 770	107050
6CSSF30-2521	21	25	18.5	80	226.8 - 21	0 - 770	123925
6CSSF30-3026	26	30	22	80	280.8 - 26	0 - 770	143075
6CSSF46-0402	2	4	3	100	26.4 - 2	0 - 1190	44775
6CSSF46-0503	3	5	3.7	100	39.6 - 3	0 - 1190	49525
6CSSF46-7504	4	7.5	5.5	100	52.8 - 4	0 - 1190	56450
6CSSF46-1005	5	10	7.5	100	66 - 5	0 - 1190	63275
6CSSF46-12506	6	12.5	9.3	100	79.2 - 6	0 - 1190	75075
6CSSF46-1508	8	15	11	100	105.6 - 8	0 - 1190	84875
6CSSF46-17509	9	17.5	13	100	118.8 - 9	0 - 1190	89000
6CSSF46-2010	10	20	15	100	132 - 10	0 - 1190	95775
6CSSF46-2512	12	25	18.5	100	158.4 - 12	0 - 1190	108425
6CSSF46-3015	15	30	22	100	198 - 15	0 - 1190	124275
6CSSF60-0502	2	5	3.7	100	27 - 2	0 - 1445	46275
6CSSF60-7503	3	7.5	5.5	100	40.5 - 3	0 - 1445	53175
6CSSF60-1004	4	10	7.5	100	54 - 4	0 - 1445	60000
6CSSF60-12505	5	12.5	9.3	100	67.5 - 5	0 - 1445	71850
6CSSF60-1506	6	15	11	100	81 - 6	0 - 1445	78400
6CSSF60-17508	8	17.5	13	100	108 - 8	0 - 1445	85625
6CSSF60-2009	9	20	15	100	121.5 - 9	0 - 1445	92525
6CSSF60-2510	10	25	18.5	100	135 - 10	0 - 1445	101950
6CSSF60-3012	12	30	22	100	162 - 12	0 - 1445	113900

SUBMERSIBLE PUMPSETS - SUITABLE FOR 150 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	SUBMERSIBLE PUMPSETS SUITABLE FOR 150MM BOREWELL						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
150W5U2	5	2.0	1.5	50(2")	51-11	0 -190	26400
150W6U2	6	2.0	1.5	50(2")	61-13	0 -190	27325
150W7U3	7	3.0	2.2	50(2")	71-16	0 -190	28250
150W8U3	8	3.0	2.2	50(2")	81-18	0 -190	29150
150W9U3	9	3.0	2.2	50(2")	91-20	0 -190	31075
150W12U4	12	4.0	3	50(2")	122-27	0 -190	34750
150W14U5	14	5.0	3.7	50(2")	142-32	0 -190	39150
150W16U6	16	6.0	4	50(2")	163-36	0 -190	42750
150W18U6	18	6.0	4	50(2")	183-41	0 -190	44800
150W20U7.5	20	7.5	5.5	50(2")	205-48	0 -190	49650
150W22U7.5	22	7.5	5.5	50(2")	224-50	0 -190	51925
150W24U10	24	10.0	7.5	50(2")	244-55	0 -190	54500
150W26U10	26	10.0	7.5	50(2")	265-59	0 -190	58400
150W28U10	28	10.0	7.5	50(2")	294-68	0 -190	60475
150W5V2	5	2.0	1.5	50(2")	55-15	0 -280	26400
150W6V3	6	3.0	2.2	50(2")	67-18	0 -280	27325
150W7V3	7	3.0	2.2	50(2")	77-21	0 -280	28250
150W8V4	8	4.0	3	50(2")	88-24	0 -280	30025
150W10V4	10	4.0	3	50(2")	110-31	0 -280	33625
150W12V5	12	5.0	3.7	50(2")	132-37	0 -280	36075
150W14V6	14	6.0	4.0	50(2")	152-43	0 -280	39675
150W16V7.5	16	7.5	5.5	50(2")	176-49	0 -280	44400
150W18V7.5	18	7.5	5.5	50(2")	198-55	0 -280	46300
150W20V7.5	20	7.5	5.5	50(2")	220-62	0 -280	49650
150W22V10	22	10.0	7.5	50(2")	242-68	0 -280	54225
150W24V10	24	10.0	7.5	50(2")	264-74	0 -280	54500
150W6W3	6	3	2.2	50(2")	62-17	0 -300	27325
150W7W4	7	4	3.0	50(2")	75-18	0 -300	29625
150W8W4	8	4	3.0	50(2")	86-21	0 -300	30025
150W10W5	10	5	3.7	50(2")	110-26	0 -300	34200
150W12W6	12	6	4.0	50(2")	129-32	0 -300	38575
150W14W7.5	14	7.5	5.5	50(2")	151-37	0 -300	43625
150W16W10	16	10.0	7.5	50(2")	173-48	0 -300	46700
150W18W10	18	10.0	7.5	50(2")	194-49	0 -300	49975
150W20W10	20	10.0	7.5	50(2")	216-54	0 -300	51975
150W4X3	4	3.0	2.2	50(2")	44-16	0 -300	25500
150W5X3	5	3.0	2.2	50(2")	54-20	0 -300	26400
150W6X4	6	4.0	3.0	50(2")	66-21	0 -300	28200
150W7X5	7	5.0	3.7	50(2")	77-28	0 -300	30425
150W8X5	8	5.0	3.7	50(2")	88-32	0 -300	31350
150W10X6	10	6.0	4.0	50(2")	111-40	0 -300	35800
150W12X7.5	12	7.5	5.5	50(2")	138-51	0 -300	40525
150W14X10	14	10.0	7.5	50(2")	155-56	0 -300	44875

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	SUBMERSIBLE PUMPSETS SUITABLE FOR 150mm BOREWELL- Three Piece Motor						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
150WT5U2	5	2.0	1.5	50(2")	51-11	0-190	27475
150WT6U2	6	2.0	1.5	50(2")	61-13	0-190	28250
150WT7U3	7	3.0	2.2	50(2")	71-16	0-190	29050
150WT8U3	8	3.0	2.2	50(2")	81-18	0-190	29850
150WT9U3	9	3.0	2.2	50(2")	91-20	0-190	31675
150WT12U4	12	4.0	3.0	50(2")	122-27	0-190	35775
150WT14U5	14	5.0	3.7	50(2")	142-32	0-190	39950
150WT16U6	16	6.0	4.0	50(2")	163-36	0-190	43325
150WT18U6	18	6.0	4.0	50(2")	183-41	0-190	45225
150WT20U7.5	20	7.5	5.5	50(2")	205-48	0-190	49900
150WT22U7.5	22	7.5	5.5	50(2")	224-50	0-190	52025
150WT24U10	24	10.0	7.5	50(2")	244-55	0-190	55175
150WT26U10	26	10.0	7.5	50(2")	265-59	0-190	58150
150WT28U10	28	10.0	7.5	50(2")	294-68	0-190	60050
150WT30U12.5	30	12.5	9.3	50(2")	306-69	0-190	66350
150WT5V2	5	2.0	1.5	50(2")	55-15	0-280	27475
150WT6V3	6	3.0	2.2	50(2")	67-18	0-280	28250
150WT7V3	7	3.0	2.2	50(2")	77-21	0-280	29050
150WT8V4	8	4.0	3.0	50(2")	88-24	0-280	30850
150WT10V4	10	4.0	3.0	50(2")	110-31	0-280	34750
150WT12V5	12	5.0	3.7	50(2")	132-37	0-280	36975
150WT14V6	14	6.0	4.0	50(2")	152-43	0-280	40775
150WT16V7.5	16	7.5	5.5	50(2")	176-49	0-280	45425
150WT18V7.5	18	7.5	5.5	50(2")	198-55	0-280	47075
150WT20V7.5	20	7.5	5.5	50(2")	220-62	0-280	49900
150WT22V10	22	10.0	7.5	50(2")	242-68	0-280	54275
150WT24V10	24	10.0	7.5	50(2")	264-74	0-280	55175
150WT26V12.5	26	12.5	9.3	50(2")	286-80	0-280	62525
150WT28V12.5	28	12.5	9.3	50(2")	305-92	0-280	64450
150WT30V15	30	15.0	11.0	50(2")	330-93	0-280	69525
150WT6W3	6	3.0	2.2	50(2")	62-17	0-300	28250
150WT7W4	7	4.0	3.0	50(2")	75-18	0-300	30975
150WT8W4	8	4.0	3.0	50(2")	86-21	0-300	30850
150WT10W5	10	5.0	3.7	50(2")	110-26	0-300	34675
150WT12W6	12	6.0	4.0	50(2")	129-32	0-300	39450
150WT14W7.5	14	7.5	5.5	50(2")	151-37	0-300	44350
150WT16W10	16	10.0	7.5	50(2")	173-48	0-300	47925
150WT18W10	18	10.0	7.5	50(2")	194-49	0-300	50350
150WT20W10	20	10.0	7.5	50(2")	216-54	0-300	51225
150WT22W12.5	22	12.5	9.3	50(2")	237-59	0-300	58675
150WT24W12.5	24	12.5	9.3	50(2")	259-64	0-300	60625
150WT26W15	26	15.0	11.0	50(2")	280-65	0-300	65700
150WT28W15	28	15.0	11.0	50(2")	304-66	0-300	67600
150WT30W17.5	30	17.5	13.0	50(2")	324-81	0-300	72475
150WT4X3	4	3.0	2.2	50(2")	44-16	0-300	26675
150WT5X3	5	3.0	2.2	50(2")	54-20	0-300	27475
150WT6X4	6	4.0	3.0	50(2")	66-21	0-300	29250
150WT7X5	7	5.0	3.7	50(2")	77-28	0-300	31275
150WT8X5	8	5.0	3.7	50(2")	88-32	0-300	32075
150WT10X6	10	6.0	4.0	50(2")	111-40	0-300	36575
150WT12X7.5	12	7.5	5.5	50(2")	138-51	0-300	41925
150WT14X10	14	10.0	7.5	50(2")	155-56	0-300	46375
150WT18X12.5	18	12.5	9.3	50(2")	199-72	0-300	54725
150WT20X12.5	20	12.5	9.3	50(2")	222-80	0-300	56575
150WT22X15	22	15.0	11.0	50(2")	244-88	0-300	61850
150WT24X15	24	15.0	11.0	50(2")	271-102	0-300	63775
150WT26X17.5	26	17.5	13.0	50(2")	288-104	0-300	68650
150WT28X17.5	28	17.5	13.0	50(2")	310-112	0-300	70550
150WT30X20	30	20.0	15.0	50(2")	333-120	0-300	73650

SUBMERSIBLE PUMPSETS - SUITABLE FOR 125 mm /150 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	SUBMERSIBLE PUMPSETS SUITABLE FOR 125 / 150 MM BOREWELL						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
SUBMERSIBLE PUMPSETS SUITABLE FOR 125 mm BOREWELL							
5W4DM5	4	5	3.7	65(2.5")	39-16	0-660	26850
125W4DM5	4	5	3.7	65(2.5")	39-16	0-660	26850
5W5DM6	5	6	4.5	65(2.5")	49-20	0-660	29475
125W5DM6	5	6	4.5	65(2.5")	49-20	0-660	29475
SUBMERSIBLE PUMPSETS-SUITABLE FOR 150 MM BOREWELL							
6W4D5	4	5	3.7	65(2.5")	35-13	380-800	29375
6W4D5-80	4	5	3.7	80(3")	35-13	380-800	29375
6W5D6	5	6	4.5	65(2.5")	43-16	380-800	32575
6W8D7.5(T)	8	7.5	5.5	65(2.5")	63-37	375-625	39475
6W5D5(T)	5	5	3.7	65(2.5")	39-21	375-625	31175
6W5D5(T)-80	5	5	3.7	80(3")	39-21	375-625	31175
6W6D7.5	6	7.5	5.5	65(2.5")	52-20	380-800	36825
6W8D10	8	10	7.5	65(2.5")	82-26	0-800	43100
6W10D10(T)	10	10	7.5	65(2.5")	100-51	0-625	46525
6W4E6	4	6	4.5	80(3")	36-11	350-950	32575
6W6E7.5(T)	6	7.5	5.5	65(2.5")	52-20	380-800	36825
6W8E10(T)	8	10	7.5	65(2.5")	82-26	0-800	43100
6W3F5	3	5	3.7	80(3")	27-17	550-870	28425
6W5F7.5	5	7.5	5.5	80(3")	45-28	550-870	35050
6W6F10	6	10	7.5	80 (3")	54-33	550-870	41750
6W3G6	3	6	4.5	80(3")	30-13	490-870	30425
6W4G7.5	4	7.5	5.5	80(3")	40-20	490-870	33925
6W4G7.5-100	4	7.5	5.5	100(4")	40-20	490-870	33925
6W5G10	5	10	7.5	80 (3")	50-24	490-970	39350
6W3H7.5	3	7.5	5.5	80(3")	27-14	680-1140	32300
6W3H7.5-100	3	7.5	5.5	100(4")	27-14	680-1140	32300
6W4H10	4	10	7.5	80 (3")	47-19	0-1140	37300
6W4H10-100	4	10	7.5	100(4")	47-19	0-1140	37300
6W4J3	4	3	2.2	50(2")	42-20	105-355	26700
6W6J5	6	5	3.7	50(2")	62-30	105-355	29725
6W8J6	8	6	4.5	50(2")	84-40	105-355	33925
6W9J7.5	9	7.5	5.5	50(2")	95-45	105-355	37450
6W3R3	3	3	2.2	50(2")	32-21	225-365	25500
6W3R3-65	3	3	2.2	65(2.5")	32-21	225-365	25500
6W5R5	5	5	3.7	50(2")	53-35	225-365	28200
6W5R5-65	5	5	3.7	65(2.5")	53-35	225-365	28200
6W6R6	6	6	4.5	50(2")	63-42	225-365	31400
6W6R6-65	6	6	4.5	65(2.5")	63-42	225-365	31400
6W7R7.5	7	7.5	5.5	50(2")	74-49	225-365	34700
6W7R7.5-65	7	7.5	5.5	65(2.5")	74-49	225-365	34700
6W8R7.5	8	7.5	5.5	50(2")	84-56	225-365	35750
6W8R7.5-65	8	7.5	5.5	65(2.5")	84-56	225-365	35750
6W8R7.5(T)	8	7.5	5.5	50(2")	98-42	0-430	35750
6W8R7.5(T)-65	8	7.5	5.5	65(2.5")	98-42	0-430	35750
6W8R10	8	10	7.5	50 (2")	98-42	0-430	38825
6W8R10-65	8	10	7.5	65(2.5")	98-42	0-430	38825
6W10R10	10	10	7.5	50 (2")	123-53	0-430	42025
6W10R10-65	10	10	7.5	65(2.5")	123-53	0-430	42025

SUBMERSIBLE PUMPSETS- SUITABLE FOR 150 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	SUBMERSIBLE PUMPSETS-SUITABLE FOR 150 MM BOREWELL						Dt. 10.11.2013
SUBMERSIBLE PUMPSETS-SUITABLE FOR 150 MM BOREWELL – 150 SERIES							
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
150W4D5	4	5	3.7	65(2.5")	35-13	380-800	28475
150W4D5-80	4	5	3.7	80(3")	35-13	380-800	28475
150W5D6	5	6	4.5	65(2.5")	43-16	380-800	31700
150W8D7.5(T)	8	7.5	5.5	65(2.5")	63-37	375-625	38775
150W5D5(T)	5	5	3.7	65(2.5")	39-21	375-625	30300
150W6D7.5	6	7.5	5.5	65(2.5")	52-20	380-800	35825
150W8D10	8	10	7.5	65(2.5")	82-26	0-800	41875
150W10D10(T)	10	10	7.5	65(2.5")	100-51	0-625	45200
150W4E6	4	6	4.5	80(3")	36-11	350-950	31325
150W6E7.5(T)	6	7.5	5.5	65(2.5")	52-20	380-800	35825
150W8E10(T)	8	10	7.5	65(2.5")	82-26	0-800	41875
150W3F5	3	5	3.7	80(3")	27-17	550-870	27625
150W5F7.5	5	7.5	5.5	80(3")	45-28	550-870	34000
150W6F10	6	10	7.5	80 (3")	54-33	550-870	39725
150W3G6	3	6	4.5	80(3")	30-13	490-870	28975
150W4G7.5	4	7.5	5.5	80(3")	40-20	490-870	32925
150W4G7.5-100	4	7.5	5.5	100 (4")	40-20	490-870	32600
150W5G10	5	10	7.5	80 (3")	50-24	490-970	37850
150W3H7.5	3	7.5	5.5	80(3")	27-14	680-1140	31350
150W3H7.5-100	3	7.5	5.5	100 (4")	27-14	680-1140	32925
150W4H10	4	10	7.5	80 (3")	47-19	0-1140	35875
150W4H10-100	4	10	7.5	100 (4")	47-19	0-1140	35875
150W4J3	4	3	2.2	50(2")	42-20	105-355	25650
150W6J5	6	5	3.7	50(2")	62-30	105-355	28575
150W8J6	8	6	4.5	50(2")	84-40	105-355	32600
150W9J7.5	9	7.5	5.5	50(2")	95-45	105-355	36000
150W3R3	3	3	2.2	50(2")	32-21	225-365	24500
150W3R3-65	3	3	2.2	65(2.5")	32-21	225-365	24500
150W5R5	5	5	3.7	50(2")	53-35	225-365	27125
150W5R5-65	5	5	3.7	65(2.5")	53-35	225-365	27125
150W6R6	6	6	4.5	50(2")	63-42	225-365	30200
150W6R6-65	6	6	4.5	65(2.5")	63-42	225-365	30200
150W7R7.5	7	7.5	5.5	50(2")	74-49	225-365	33350
150W7R7.5-65	7	7.5	5.5	65(2.5")	74-49	225-365	33350
150W8R7.5	8	7.5	5.5	50(2")	84-56	225-365	34375
150W8R7.5-65	8	7.5	5.5	65(2.5")	84-56	225-365	34375
150W8R7.5(T)	8	7.5	5.5	50(2")	98-42	0-430	34375
150W8R7.5(T)-65	8	7.5	5.5	65(2.5")	98-42	0-430	34375
150W8R10	8	10	7.5	50 (2")	98-42	0-430	37325
150W8R10-65	8	10	7.5	65(2.5")	98-42	0-430	37325
150W10R10	10	10	7.5	50 (2")	123-53	0-430	40400
150W10R10-65	10	10	7.5	65(2.5")	123-53	0-430	40400

SUBMERSIBLE PUMPSETS- SUITABLE FOR 150 mm BOREWELL

	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
PUMPS DIVISION	SUBMERSIBLE PUMPSETS-SUITABLE FOR 150 MM BOREWELL						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
150W10E15	10	15	11.3	80 (3")	92-28	350-950	59875
150W8F12.5	8	13	9.3	80 (3")	72-44	550-870	53175
150W9F15	9	15	11.3	80 (3")	81-50	550-870	57750
150W12F20	12	20	15	80 (3")	108-66	550-870	74725
150W8G15	8	15	11.3	80 (3")	80-44	490-970	56550
150W10G20	10	20	15	80 (3")	100-62	490-970	64700
150W5H12.5	5	13	9.4	80 (3")	46-24	680-1140	49150
150W5H12.5-100	5	13	9.4	100 (4")	46-24	680-1140	49150
150W6H15	6	15	11.3	80 (3")	55-29	0-1140	53750
150W6H15-100	6	15	11.3	100 (4")	55-29	0-1140	53750
150W12D12.5(T)	12	13	9.3	65 (2.5")	120-58	0-675	59500
150W15D15(T)	15	15	11.3	65 (2.5")	150-71	0-675	66550
150W17D17.5(T)	17	18	13.1	65 (2.5")	170-81	0-675	77050
150W20D20(T)	20	20	15	65 (2.5")	198-95	0-675	85900
150W10E12.5(T)	10	13	9.3	65 (2.5")	102-33	0-800	55225
150W12E15(T)	12	15	11.3	65 (2.5")	123-40	0-800	64925
150W14E17.5(T)	14	18	13.1	65 (2.5")	143-46	0-800	66775
150W16E20(T)	16	20	15	65 (2.5")	163-52	0-800	71575
150W12R12.5	12	13	9.3	50 (2")	148-63	0-430	53350
150W15R15	15	15	11.3	50 (2")	185-79	0-430	59950
150W18R20	18	20	15	50 (2")	221-95	0-430	67075
150W20R20	20	20	15	50 (2")	246-105	0-430	69775
150W- 6" SUBMERSIBLE PUMPSETS SUITABLE FOR 150 mm BOREWELL- THREE PIECE MOTOR							
150WT4D5-80	4	5	3.7	80 (3")	35 - 13	380 - 800	29150
150WT5D6	5	6	4	65 (2.5")	43 - 16	380 - 800	32475
150WT6D7.5	6	7.5	5.5	65 (2.5")	52 - 20	380 - 800	36875
150WT8D10	8	10	7.5	65 (2.5")	82 - 26	0 - 800	42650
150WT5D5(T)	5	5	3.7	65 (2.5")	39 - 21	375 - 625	30700
150WT8D7.5(T)	8	7.5	5.5	65 (2.5")	63 - 37	375 - 625	40300
150WT10D10(T)	10	10	7.5	65 (2.5")	100 - 51	0 - 625	45850
150WT4E6	4	6	4	80 (3")	36 - 11	350 - 950	32450
150WT6E7.5(T)	6	7.5	5.5	65 (2.5")	52 - 20	380 - 800	36875
150WT8E10(T)	8	10	7.5	65 (2.5")	82 - 26	0 - 800	42650
150WT3F5	3	5	3.7	80 (3")	27 - 17	550 - 870	28725
150WT5F7.5	5	7.5	5.5	80 (3")	45 - 28	550 - 870	37225
150WT6F10	6	10	7.5	80 (3")	54 - 33	550 - 870	41800
150WT3G6	3	6	4	80 (3")	30 - 13	490 - 870	30500
150WT4G7.5-100	4	7.5	5.5	100 (4")	40 - 20	490 - 870	35300
150WT5G10	5	10	7.5	80 (3")	50 - 24	490 - 970	39575
150WT3H7.5-100	3	7.5	5.5	100 (4")	27 - 14	680 - 1140	33350
150WT4H10-100	4	10	7.5	100 (4")	47 - 19	0 - 1140	37650
150W- 6" SUBMERSIBLE PUMPSETS SUITABLE FOR 150 mm BOREWELL- SUPER LOW VOLTAGE							
150W4E6-LX	4	6	4.5	80 (3")	43 - 11	0 - 950	30400
150W4D5-80-LX	4	5	3.7	80 (3")	35 - 13	380 - 800	27625
150W3F5-LX	3	5	3.7	80 (3")	27 - 17	550 - 870	26800
150W4G7.5-100-LX	4	7.5	5.5	100 (4")	40 - 20	490 - 870	31650

SUBMERSIBLE PUMPSETS

'J-WX' SERIES SUITABLE FOR 175 mm / 200mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO								PRICE LIST
	SUITABLE FOR 175/ 200MM BOREWELL SUBMERSIBLE PUMPSETS - 'J-WX' SERIES								Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE MM(INCH)	MOTOR SIZE (MM)	PUMP SIZE (MM)	HEAD RANGE (METRES)	DISCHARGE (LPM)	MRP
J2I6-WX	2	6	4.5	100 (4")	150	175	34-4	0-1590	34575
J3I6-WX	3	6	4.5	100 (4")	150	175	36-12	0-1440	35550
J3I7.5-WX	3	7.5	5.5	100 (4")	150	175	41-11	0-1590	37625
J4I10-WX	4	10	7.5	100 (4")	150	175	55-14	0-1590	44575
J3I10-WX	3	10	7.5	100 (4")	150	175	50-14	0-1680	42575
J4I12.5-WX	4	12.5	9.3	100 (4")	150	175	67-19	0-1680	49975
J5I15-WX	5	15	11.3	100 (4")	150	175	83-23	0-1680	54775
J3V10T-WX	3	10	7.5	100 (4")	150	200	56-30	0-1000	46575
J2V7.5-WX	2	7.5	5.5	100 (4")	150	200	57-20	0-1225	38375
J3V12.5-WX	3	12.5	9.3	100 (4")	150	200	86-30	0-1225	50075
J2L12.5-WX	2	12.5	9.3	100 (4")	150	200	54-15	0-2075	46175
J3L17.5-WX	3	17.5	13	100 (4")	150	200	70-19	0-2025	58025
J2B7.5-WX	2	7.5	5.5	100 (4")	150	175	40-12	0-1800	38350
J2B10-WX	2	10	7.5	100 (4")	150	175	43-15	0-1700	42575
J3B10-WX	3	10	7.5	100 (4")	150	175	58-14	0-1800	44300
J3B12.5-WX	3	12.5	9.3	100 (4")	150	175	60-18	0-1800	49600
J4B15-WX	4	15	11.3	100 (4")	150	175	75-18	0-1800	52725
J5B17.5-WX	5	17.5	13	100 (4")	150	175	97-22	0-1800	64825
J5B20-WX	5	20	15	100 (4")	150	175	79-32	700-1700	66300
J1M7.5-WX	1	7.5	5.5	125(5")	150	200	24-7	0-2150	35125
J3M17.5-WX	3	17.5	13	125(5")	150	200	70-19	0-2025	57475
J3M20-WX	3	20	15	125(5")	150	200	72-21	0-2150	62175
J2N15-WX	2	15	11.3	125(5")	150	200	55-24	0-2075	51725
J3N25-WX	3	25	18.75	125(5")	150	200	83-36	0-2075	63550
J2A7.5-WX	2	7.5	5.5	100 (4")	150	200	40-12	0-1800	38350
J2A10-WX	2	10	7.5	100 (4")	150	200	43-15	0-1700	42875
J3A10-WX	3	10	7.5	100 (4")	150	200	58-14	0-1800	44325
J3A12.5-WX	3	12.5	9.3	100 (4")	150	200	60-18	0-1800	49600
LJ3I7.5-WX	3	7.5	5.5	100 (4")	150	175	41-11	0-1590	37625
HJ3I7.5-WX	3	7.5	5.5	100 (4")	150	175	45-12	0-1280	37625
LJ3I6-WX	3	6	4.5	100 (4")	150	175	36-12	0-1400	35550
HJ3I6-WX	3	6	4.5	100 (4")	150	175	42-11	0-1280	35550
LJ4I7.5-WX	4	7.5	5.5	100 (4")	150	175	48-16	0-1440	40400
HJ4I7.5-WX	4	7.5	5.5	100 (4")	150	175	60-16	0-1280	40400
HJ4I10-WX	4	10	7.5	100 (4")	150	175	60-18	0-1280	46900
LJ3K15-WX	3	15	11.3	100 (4")	150	200	64-19	0-1900	53525
SLIM JANATA SERIES									
J4M65-10SL	4	10	7.5		122	142	52 - 20	0 - 1210	36475
J5M67E-12.5SL	5	12.5	9.3		122	142	68 - 26	0 - 1252	41000

SUBMERSIBLE PUMPSETS

'J' SERIES SUITABLE FOR 175/ 200mm BOREWELL

		PRICE LIST NO-M5/02/13-14/AGRO							PRICE LIST
PUMPS DIVISION		'J' SERIES SUITABLE FOR 175/ 200MM BOREWELL SUBMERSIBLE PUMPSETS							Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE MM(INCH)	MOTOR SIZE (MM)	PUMP SIZE (MM)	HEAD RANGE (METRES)	DISCHARGE (LPM)	MRP
J2I6	2	6	4.5	100 (4")	150	175	34-4	0-1590	34575
J3I6	3	6	4.5	100 (4")	150	175	36-12	0-1440	35550
J3I7.5	3	7.5	5.5	100 (4")	150	175	41-11	0-1590	37625
J4I10	4	10	7.5	100 (4")	150	175	55-14	0-1590	44575
J3I10	3	10	7.5	100 (4")	150	175	50-14	0-1680	42575
J4I12.5	4	12.5	9.3	100 (4")	150	175	67-19	0-1680	49975
J5I15	5	15	11.3	100 (4")	150	175	83-23	0-1680	54775
J3V10T	3	10	7.5	100 (4")	150	200	56-30	0-1000	46575
J2V7.5	2	7.5	5.5	100 (4")	150	200	57-20	0-1225	38375
J3V12.5	3	12.5	9.3	100 (4")	150	200	86-30	0-1225	50075
J2L12.5	2	12.5	9.3	100 (4")	150	200	54-15	0-2075	46175
J3L17.5	3	17.5	13	100 (4")	150	200	70-19	0-2025	58025
J2B7.5	2	7.5	5.5	100 (4")	150	175	40-12	0-1800	38350
J2B10	2	10	7.5	100 (4")	150	175	43-15	0-1700	42575
J3B10	3	10	7.5	100 (4")	150	175	58-14	0-1800	46550
J3B12.5	3	12.5	9.3	100 (4")	150	175	60-18	0-1800	49600
J4B15	4	15	11.3	100 (4")	150	175	75-18	0-1800	52725
J5B17.5	5	17.5	13	100 (4")	150	175	97-22	0-1800	64825
J5B20	5	20	15	100 (4")	150	175	79-32	700-1700	66300
J1M7.5	1	7.5	5.5	125(5")	150	200	24-7	0-2150	35125
J3M17.5	3	17.5	13	125(5")	150	200	70-19	0-2025	57475
J3M20	3	20	15	125(5")	150	200	72-21	0-2150	62175
J2N15	2	15	11.3	125(5")	150	200	55-24	0-2075	51725
J3N25	3	25	18.75	125(5")	150	200	83-36	0-2075	63550
J2A7.5	2	7.5	5.5	100 (4")	150	200	40-12	0-1800	38350
J2A10	2	10	7.5	100 (4")	150	200	43-15	0-1700	42875
J3A10	3	10	7.5	100 (4")	150	200	58-14	0-1800	44325
J3A12.5	3	12.5	9.3	100 (4")	150	200	60-18	0-1800	49600
LJ3I7.5	3	7.5	5.5	100 (4")	150	175	41-11	0-1590	37625
HJ3I7.5	3	7.5	5.5	100 (4")	150	175	45-12	0-1280	37625
LJ3I6	3	6	4.5	100 (4")	150	175	36-12	0-1400	35550
HJ3I6	3	6	4.5	100 (4")	150	175	42-11	0-1280	35550
LJ4I7.5	4	7.5	5.5	100 (4")	150	175	48-16	0-1440	40400
HJ4I7.5	4	7.5	5.5	100 (4")	150	175	60-16	0-1280	40400
HJ4I10	4	10	7.5	100 (4")	150	175	60-18	0-1280	46900
LJ3K15	3	15	11.3	100 (4")	150	200	64-19	0-1900	53525
JANATA-CJM SERIES									
CJM35-0210	2	10	7.5	100 (4")			35-20	500-1650	39000
CJM40-0215	2	15	11.3	100 (4")			15-42	2150-920	46900

SUBMERSIBLE PUMPSETS SUITABLE FOR 200 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	CG8 SERIES - SUBMERSIBLE PUMPSETS SUITABLE FOR 200MM BOREWELL						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
CG8V6R15-15	6	15.00	11.00	75	115-74	75-510	66450
CG8V7R15-17.5	7	17.50	13.00	75	134-87	75-510	72375
CG8V8R15-20	8	20.00	15.00	75	154-99	75-510	76875
CG8V9R15-25	9	25.00	18.50	75	173-112	75-510	82675
CG8V10R15-25	10	25.00	18.50	75	192-124	75-510	84700
CG8V11R15-30	11	30.00	22.50	75	211-136	75-510	89225
CG8V12R15-30	12	30.00	22.50	75	231-149	75-510	90875
CG8V14R15-35	14	35.00	26.00	75	269-174	75-510	100875
CG8V16R15-40	16	40.00	30.00	75	307-198	75-510	112650
CG8V18R15-50	18	50.00	37.50	75	343-223	75-510	123950
CG8V20R15-50	20	50.00	37.50	75	384-248	75-510	127400
CG8V5R16-15	5	15.00	11.00	75	90-50	380-825	65775
CG8V6R16-17.5	6	17.50	13.00	75	108-60	380-825	71925
CG8V7R16-20	7	20.00	15.00	75	126-70	380-825	76575
CG8V8R16-25	8	25.00	18.50	75	144-80	380-825	83075
CG8V9R16-30	9	30.00	22.50	75	162-90	380-825	87775
CG8V10R16-30	10	30.00	22.50	75	180-100	380-825	89500
CG8V11R16-35	11	35.00	26.00	75	198-110	380-825	97975
CG8V12R16-35	12	35.00	26.00	75	216-120	380-825	99875
CG8V13R16-40	13	40.00	30.00	75	234-130	380-825	109975
CG8V14R16-45	14	45.00	33.00	75	252-140	380-825	111975
CG8V16R16-50	16	50.00	37.50	75	288-160	380-825	123475
CG8V6R17-15	6	15.00	11.00	75	111-47	150-850	67625
CG8V7R17-17.5	7	17.50	13.00	75	130-55	150-850	73750
CG8V8R17-20	8	20.00	15.00	75	148-63	150-850	79000
CG8V9R17-25	9	25.00	18.50	75	167-71	150-850	84725
CG8V10R17-25	10	25.00	18.50	75	186-79	150-850	86500
CG8V11R17-30	11	30.00	22.50	75	204-47	150-850	91350
CG8V12R17-30	12	30.00	22.50	75	223-95	150-850	93175
CG8V14R17-35	14	35.00	26.00	75	260-111	150-850	103625
CG8V16R17-40	16	40.00	30.00	75	297-126	150-850	111975
CG8V18R17-50	18	50.00	37.50	75	334-142	150-850	127400
CG8V20R17-50	20	50.00	37.50	75	371-158	150-850	131075
CG8V3R18-15	3	15.00	11.00	75	62-37	170-1000	62050
CG8V4R18-20	4	20.00	15.00	75	83-50	170-1000	71200
CG8V5R18-25	5	25.00	18.50	75	104-64	170-1000	77250
CG8V6R18-30	6	30.00	22.50	75	125-74	170-1000	82150
CG8V7R18-35	7	35.00	26.00	75	146-87	170-1000	90750
CG8V8R18-40	8	40.00	30.00	75	166-99	170-1000	101500
CG8V9R18-45	9	45.00	33.00	75	187-112	170-1000	103225
CG8V10R18-50	10	50.00	37.50	75	208-124	170-1000	112775
CG8V4R19-17.5	4	17.50	13.00	75	79-50	170-850	68400
CG8V5R19-20	5	20.00	15.00	75	99-62	170-850	73125
CG8V6R19-25	6	25.00	18.50	75	119-75	170-850	79175
CG8V7R19-30	7	30.00	22.50	75	139-88	170-850	84150
CG8V8R18-35	8	35.00	26.00	75	158-100	170-850	93175
CG8V10R19-40	10	40.00	30.00	75	198-125	170-850	104975

SUBMERSIBLE PUMPSETS SUITABLE FOR 200 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	CG8 SERIES - SUBMERSIBLE PUMPSETS SUITABLE FOR 200MM BOREWELL						Dt. 10.11.2013
SUBMERSIBLE PUMPSETS SUITABLE FOR 200MM BOREWELL							
RATING	NO OF STAGES	HP	KW	OUTLET SIZE IN MM	HEAD IN METRES	DISCHARGE IN LPM	MRP
CG8V2M17-10	2	10.00	7.50	75	40-18	500-1500	45275
CG8V3M17-15	3	15.00	11.00	75	60-27	500-1500	52900
CG8V4M17-20	4	20.00	15.00	75	80-36	500-1500	63275
CG8V5M17-25	5	25.00	18.50	75	100-45	500-1500	71225
CG8V6M17-30	6	30.00	22.00	75	120-54	500-1500	78150
CG8V2M18-10	2	10.00	7.50	100	38-18	250-1850	47475
CG8V3M18-15	3	15.00	11.00	100	57-27	250-1850	55575
CG8V4M18-20	4	20.00	15.00	100	76-36	250-1850	66375
CG8V5M18-25	5	25.00	18.50	100	95-45	250-1850	77950
CG8V6M18-30	6	30.00	22.00	100	114-54	250-1850	86950
CG8V2M20-12.5	2	12.50	9.30	100	38-15	950-2140	49300
CG8V3M20-17.5	3	17.50	13.00	100	57-27	950-2140	59900
CG8V4M20-25	4	25.00	18.50	100	76-36	950-2140	71225
CG8V5M20-30	5	30.00	22.00	100	95-38	950-2140	83125
CG8V2M21-15	2	15.00	11.00	100	30-14	1645-2340	51725
CG8V3M21-20	3	20.00	15.00	100	45-21	1645-2340	62650
CG8V4M21-30	4	30.00	22.00	100	60-28	1645-2340	75650
CG8V3M22-25	3	25.00	18.50	100	54-36	1460-2110	67750
CG8V2M23-20	2	20.00	15.00	100	38-22	1590-2530	58875
CG8V3M23-30	3	30.00	22.00	100	57-33	1590-2530	72175

SUBMERSIBLE PUMPSETS SUITABLE FOR 200 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	8W SERIES - SUBMERSIBLE PUMPSETS SUITABLE FOR 200MM BOREWELL						Dt. 10.11.2013
RATING	NO OF STAGES	HP	KW	OUTLET SIZE MM (INCH)	HEAD (METRES)	DISCHARGE (LPM)	MRP
8W3A7.5	3	7.5	5.5	80(3")	55-36	0-490	50025
8W4A10	4	10	7.5	80(3")	74-48	0-490	54700
8W5A12.5	5	12.5	9.3	80(3")	92-60	0-490	59425
8W7A17.5	7	17.5	13	80(3")	129-84	0-490	69725
8W8A20	8	20	15	80(3")	147-96	0-490	73600
8W9A22.5	9	22.5	16.8	80(3")	166-108	0-490	79225
8W11A27.5	11	27.5	20.5	80(3")	202-132	0-490	88100
8W12A30	12	30	22	80(3")	221-144	0-490	91175
8W13A30	13	30	22	80(3")	239-156	0-490	94000
8W14A35	14	35	26.2	80(3")	252-163	200-500	102125
8W15A40	15	40	30	80(3")	276-180	0-490	105175
8W3B10	3	10	7.5	80(3")	51-33	340-620	52900
8W4B12.5	4	12.5	9.3	80(3")	68-44	340-620	56425
8W5B15	5	15	11	80(3")	85-55	340-620	61300
8W6B17.5	6	17.5	13.1	80(3")	102-66	340-620	66425
8W7B20	7	20	15	80(3")	119-77	340-620	72150
8W8B25	8	25	18.5	80(3")	136-88	340-620	79500
8W9B27.5	9	27.5	20.5	80(3")	153-99	340-620	84450
8W10B30	10	30	22	80(3")	170-110	340-620	89400
8W11B35	11	35	26.2	80(3")	187-121	340-620	91325
8W13B40	13	40	30	80(3")	221-143	340-620	100650
8W14B45	14	45	33.7	80(3")	238-154	340-620	102650
8W15B45	15	45	33.7	80(3")	255-165	340-620	110300
8W2C7.5	2	7.5	5.5	80(3")	36-24	380-640	48475
8W3C10	3	10	7.5	80(3")	54-36	380-640	53400
8W4C12.5	4	12.5	9.3	80(3")	72-48	380-640	56425
8W5C15	5	15	11	80(3")	90-60	380-640	61875
8W7C25	7	25	18.5	80(3")	126-84	380-640	73200
8W8C27.5	8	27.5	20.5	80(3")	144-96	380-640	80875
8W9C30	9	30	22	80(3")	162-108	380-640	89400
8W10C35	10	35	26	80(3")	180-120	380-640	99325
8W11C40	11	40	30	80(3")	198-132	380-640	102200
8W12C45	12	45	33.7	80(3")	216-144	380-640	104350
8W13C45	13	45	33.7	80(3")	234-156	380-640	105800
8W14C50	14	50	37	80(3")	250-168	380-640	113675
8W15C55	15	55	41.2	80(3")	270-180	380-640	120800
8W7H20	7	20	15	80(3")	126-70	350-1000	80275
8W8H25	8	25	18.5	80(3")	144-80	350-1000	90800
8W9H27.5	9	27.5	20.5	80(3")	162-90	350-1000	97425
8W11H35	11	35	26	80(3")	198-110	350-1000	109125
8W12H40	12	40	30	80(3")	216-120	350-1000	114650
8W13H40	13	40	30	80(3")	234-130	350-1000	117975
8W14H45	14	45	33.7	80(3")	252-140	350-1000	127975
8W15H45	15	45	33.7	80(3")	270-150	350-1000	131100
8W4J15	4	15	11	100(4")	76-40	550-1125	65150
8W6J25	6	25	18.5	100(4")	114-60	550-1125	85225
8W8J30	8	30	22	100(4")	152-80	550-1125	95850
8W9J35	9	35	26	100(4")	171-90	550-1125	99900

SUBMERSIBLE PUMPSETS SUITABLE FOR 200 mm BOREWELL

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	8W SERIES / D SERIES (10" SUBMERSIBLE)						Dt. 10.11.2013
8W SERIES - SUBMERSIBLE PUMPSETS SUITABLE FOR 200MM BOREWELL							
RATING	NO OF STAGES	HP	KW	OUTLET SIZE MM (INCH)	HEAD (METRES)	DISCHARGE (LPM)	MRP
8W11J45	11	45	33.7	100(4")	209-110	550-1125	118050
8W10J40	10	40	30	100(4")	190-100	550-1125	115450
8W12J45	12	45	33.7	100(4")	228-120	550-1125	121375
8W13J50	13	50	37	100(4")	247-130	550-1125	130625
8W3K15	3	15	11	100(4")	60-27	625-1350	60925
8W4K20	4	20	15	100(4")	80-36	625-1350	69800
8W5K25	5	25	18.5	100(4")	96-46	700-1300	77450
8W6K30	6	30	22	100(4")	120-54	625-1350	88600
8W8K40	8	40	30	100(4")	160-72	625-1350	103550
8W9K45	9	45	33.7	100(4")	180-81	625-1350	111400
8W10K50	10	50	37	100(4")	280-90	0-1350	120800
8W3L20	3	20	15	100(4")	68-23	600-1600	66050
8W4L25	4	25	18.5	100(4")	90-30	600-1600	77300
8W5L30	5	30	22	100(4")	113-38	600-1600	83875
8W6L35	6	35	26	100(4")	135-45	600-1600	97325
8W6L40	6	40	30	100(4")	135-45	600-1600	103425
8W8L50	8	50	37	100(4")	180-60	600-1600	114225
8W9L55	9	55	41.2	100(4")	203-68	600-1600	121950
8W10L60	10	60	45	100(4")	225-75	600-1600	127575
8W3M20	3	20	15	125(5")	45-21	1450-2150	68000
8W4M30	4	30	22	125(5")	59-24	1500-2100	80050
8W5M35	5	35	26	125(5")	75-35	1450-2150	89250
8W6M45	6	45	33.5	125(5")	88-36	1500-2100	99950
8W7M55	7	55	41.2	125(5")	105-49	1450-2150	118175
8W8M60	8	60	45	125(5")	120-56	1450-2150	124350
8W9M70	9	70	52.5	125(5")	135-63	1450-2150	142200
8W10M75	10	75	56.25	125(5")	150-70	1450-2150	145875
8W2N15	2	15	11	125(5")	36-24	1050-1850	59425
8W3N25	3	25	18.5	125(5")	54-36	1025-1875	76050
8W4N35	4	35	26	125(5")	72-49	1050-1850	85900
8W5N45	5	45	33.7	125(5")	90-60	1025-1875	93950
8W6N50	6	50	37	125(5")	108-72	1025-1875	110050
8W7N60	7	60	45	125(5")	126-84	1025-1875	120575
8W8N70	8	70	52.5	125(5")	144-96	1025-1875	138550
8W9N75	9	75	56.25	125(5")	162-108	1025-1875	142200
8W2P20	2	20	15	125(5")	38-22	1200-2050	63050
8W3P30	3	30	22	125(5")	57-32	1200-2050	78750
8W4P40	4	40	30	125(5")	76-44	1200-2050	90050
8W5P45	5	45	33.5	125(5")	95-53	1200-2050	97425
8W6P55	6	55	41.2	125(5")	114-66	1200-2050	114475
8W7P65	7	65	48.7	125(5")	133-77	1200-2050	127575
8W8P75	8	75	56.25	125(5")	152-68	1200-2050	138550
10" SUBMERSIBLE PUMPSETS SUITABLE FOR 250 MM BOREWELL							
D1S15	1	15	11.3	150 (6)	21-13.5	1500-3000	61775
D2S30	2	30	22	150 (6)	42-27	1500-3000	87500
D3S45	3	45	33.5	150 (6)	63-41	1500-3000	110975
D1T20	1	20	15	150 (6)	24-16	1500-3250	70500
D2T40	2	40	30	150 (6)	48-32	1500-3250	95875
D1Q12.5	1	12.5	9.3	150 (6)	20-10	1600-3200	60000
D2Q25	2	25	18.5	150 (6)	40-20	1600-3200	86450
D3Q40	3	40	30	150 (6)	60-30	1600-3200	106800
D4Q50	4	50	37	150 (6)	80-40	1600-3200	122325

OPENWELL SUBMERSIBLE PUMPSET

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO					PRICE LIST
	HORIZONTAL OPENWELL SUBMERSIBLE PUMPS					Dt. 10.11.2013
HORIZONTAL OPENWELL SUBMERSIBLE PUMPS – OW SERIES						
RATING	HP	KW	PIPE SIZE DEL(MM)	HEAD IN METRES	DISCHARGE IN LPM	MRP
THREE PHASE						
OWHE12-30(3PH)	1	0.75	32X25	17 - 27	150 - 70	13325
OWG1.52	1.5	1.1	32X25	15-30	270-35	15075
OWK22	2	1.5	50x40	10.5-30	315-110	17225
OWM22	2	1.5	50x50	9-21	475-130	17225
OWKS32	3	2.2	50x 40	27-36	290-100	19325
OWN32	3	2.2	65x50	9-24	740-210	19675
OWNH32	3	2.2	65x50	18-27	590-250	19675
OWO32	3	2.2	65x65	10.5-21	830-360	19675
OWKS52	5	3.7	50x40	36-48	400-180	20650
OWNH52	5	3.7	65x50	13.5-36	890-200	20975
OWO52	5	3.7	65x65	12-28.5	840-240	21575
OWP52	5	3.7	80x65	10.5-24	1280-450	21575
OWQ52	5	3.7	80x80	9-21	1400-600	21575
OWS52	5	3.7	100x100	6-18	1550-450	23275
OWNH7.52	7.5	5.5	65x50	33-48	520-230	28250
OWQ7.52	7.5	5.5	80x80	18-33	1300-400	29300
OWP7.52	7.5	5.5	80x65	21-36	1000-580	28475
OWR7.52	7.5	5.5	100x80	12-27	1650-600	29300
OWS7.52	7.5	5.5	100x100	10.5-24	1750-550	29950
OWNH10.2	10	7.5	65x50	33-48	675-500	41000
OWQH10.2	10	7.5	80x80	27-39	1250-485	41000
OWPH10.2	10	7.5	80x65	19.5-39	1320-740	41000
OWR10.2	10	7.5	100x80	15-33	1850-700	41000
OWS10.2	10	7.5	100x100	12-28.5	2000-850	41000
OWPH12.52	12.5	9.3	80x65	28.5-48	1200-480	46650
OWS12.52	12.5	9.3	100x100	19.5-33	2150-1300	46650
OWQH12.52	12.5	9.3	80x80	15 - 33	1670 - 800	46650
OWNH15.2	15	11	65x50	51-78	540-280	54100
OWPH15.2	15	11	80x65	30-51	1270-550	54100
OWR15.2	15	11	100x80	24-42	1950-900	54100
OWS15.2	15	11	100x100	18 -36	2400-1250	54100
OWPH17.52	17.5	13.1	80x65	27-51	1500-500	56350
OWQH17.52	17.5	13.1	80x80	30-54	1675-500	56350
OWPH20.2	20	15	80x65	36-60	1425-825	58300
OWR20.2	20	15	100x80	30-51	1850-800	58300
OWPH25.2	25	18.5	80x65	45-72	1525-575	66350
OWR25.2	25	18.5	100x80	33-51	2100-1400	66350
OWPH30.2	30	22	80x65	45-78	1650-500	70175
OWR30.2	30	22	100x80	33-57	2200-1100	70175
HORIZONTAL OPENWELL SUBMERSIBLE PUMPS- LOW VOLTAGE						
OWN32LV	3	2.2	65x50	9 - 24	740 - 210	19675
OWNH32LV	3	2.2	65x50	18 -27	590 - 250	19675
OWO32LV	3	2.2	65x65	10.5 - 21	830 - 360	19675
OWNH52LV	5	3.7	65x50	13.5 - 36	890 - 200	20975
OWP52LV	5	3.7	75x65	10.5 - 24	1280 - 450	20975

OPENWELL SUBMERSIBLE PUMPSETS

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO					PRICE LIST
	OPENWELL SUBMERSIBLE PUMPSETS					Dt. 10.11.2013
RATING	HP	KW	PIPE SIZE DEL(MM)	HEAD IN METRES	DISCHARGE IN LPM	MRP
SINGLE PHASE						
OWHD052-14	0.5	0.37	25X25	6-14	180-80	9175
OWHD052-16	0.5	0.37	25X25	9 - 16	105 - 40	8250
OWHD052-18	0.5	0.37	25X25	10-21	135-24	9175
OWHJ12-20	1	0.75	40X40	6-20	360-150	12325
OWHE12-27	1	0.75	32X25	12 - 27	170 - 30	10875
OWHE12-30	1	0.75	32X25	18-30	130-60	12325
OWG1.52(1PH)	1.5	1.1	32X25	15-30	270-35	15725
OWK22(1PH)	2	1.5	50x40	10.5-30	315-110	17150
OWM22(1PH)	2	1.5	50x50	9-21	475-130	17150
OWKS32(1PH)-WOP	3	2.2	50x40	27-36	290-100	19425
OWN32(1PH)-WOP	3	2.2	65x50	9-24	740-210	19425
OWNH32(1PH)-WOP	3	2.2	65x50	18-27	590-250	19425
OWO32(1PH)-WOP	3	2.2	65x65	10.5-21	830-360	19425
OWS32(1PH)-WOP	3	2.2	100x100	6-13.5	1180-300	19425
SWD OPENWELL SERIES (SINGLE PHASE)						
SWD0.5/1	0.5	0.37	25X25	9-21	130-24	9100
SWD1.0/1	1	0.75	32X25	12-30	150-60	12300
OPENWELL SHO-AM SERIES (SINGLE PHASE)						
SHODL052SAM-14	0.5	0.37	25X25	6-14	180-80	9175
SHODL052SAM-18	0.5	0.37	25X25	10-21	135-24	9175
SHOJL12SAM-20	1	0.75	40X40	6-20	360-150	12325
SHOEM12SAM-30	1	0.75	32X25	18-30	130-60	12325
HORIZONTAL OPENWELL SUBMERSIBLE PUMPS- SHO-AQ SERIES						
SHONL32TAQCI	3	2.2	65 X50	10-20	715-350	20275
SHONM32TAQCI	3	2.2	65 X50	18-26	580-275	20275
SHONM52TAQCI	5	3.7	65 X50	18-28	830-315	22225
SHONM52TAQCI34	5	3.7	65 X50	20-36	900-300	22775
SHOPL52TAQCI	5	3.7	75 X65	15-24	1050-550	22700
SHONM752TAQCI	7.5	5.5	65 X50	33-43	540-240	29100
VERTICAL OPENWELL SUBMERSIBLE PUMPS						
CGVOS2T25-3	3	2	50	41-15	0-520	27575
CGVOS3T25-5	5	3	50	62-22	0-520	30450
CGVOS4T25-7.5	7.5	4	50	82-29	0-520	35775
CGVOS5T25-10	10	5	50	103-37	0-520	40500
CGVOS6T25-10	10	6	50	124-44	0-520	42325
CGVOS2T30-5	5	2	65	45-19	0-700	29050
CGVOS3T30-7.5	7.5	3	65	67-28	0-700	34775
CGVOS4T30-10	10	4	65	89-37	0-700	39775
CGVOS2T35-7.5	7.5	2	65	45 - 21	0 - 820	36500
CGVOS3T35-10	10	3	65	67 - 32	0 - 820	41675
CGVOS4T35-12.5	12.5	4	65	90 - 42	0 - 820	48775
CGVOS5T35-15	15	5	65	112 - 53	0 - 820	54300
CGVOS6T35-17.5	17.5	6	65	134 - 64	0 - 820	59350
CGVOS7T35-20	20	7	65	156 - 74	0 - 820	65300
VERTICAL OPENWELL SUBMERSIBLE PUMPS-LVO SERIES						
LVO2L32TAA-65	3	2	65	32-5	200-600	16100
LVO2M52TAA-65	5	2	65	38-6	200-800	17675
TWO STAGE HORIZONTAL OPENWELL SUB PUMP						
TOJ1.52	1.5	2	40	15-38	170-45	18550
TOJ22	2	2	40	19-50	175-20	20700
TOG32	3	2	32	30-55	200-70	24725
TOG52	5	2	32	30-65	215-65	28850
TOK752	7.5	2	40	30-70	400-175	34225
TOK1002	10	2	40	30-85	440-100	37525

Note : 1) All 3HP(1Ph) Openwell Pumps supplied without Control Panel.

DIESEL ENGINES

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14AGRO			PRICE LIST
	DIESEL ENGINE / PSKR ENGINE / PSDR ENGINE			Dt. 10.11.2013
RATINGS	SPECIFICATIONS		MRP	
D.ENGINE PUMP SET				
DEP5	5HP 1500RPM WC HEAVY WT 80X65mm		45700	
DES6.5	6.5 HP 1500RPM WC HEAVY WT 100X100 P/SET		43575	
DES8	8HP 1500RPM WC HEAVY WT 100X100mm		50475	
DES8AIR	8 HP 1500RPM AC HEAVY WT 100X100 P/SET		53400	
DENL3.5	3.5HP 1500RPM WC PORTABLE 65X50mm		31750	
DEPL3.5AIR	3.5 HP 1500RPM AC PORTABLE 80X65MM P/SET		34925	
DEPL5	5HP 2200RPM WC PORTABLE 80X65mm		32350	
DEPL5AIR	5HP 1500 RPM AC PORTABLE 80X65 MM P/SET		35150	
DEPL5M	5HP 1500RPM WC PORTABLE 80X65mm		32650	
DEPL5M8	5HP 1500 RPM WC PORTABLE 8 LTRS 80X65MM P/SET		32650	
DEPL6.5	6.5HP 1800RPM WC PORTABLE 80X65mm		33425	
DEPLH8	8HP 2200RPM WC PORTABLE 80X65mm		34500	
BARE DIESEL ENGINES				
DEL3.5	3.5HP 1500RPM WC portable diesel engine.		27300	
DEL5	5.0HP 2200RPM WC portable diesel engine.		27725	
DEL5A	5.0HP 1500RPM WC portable diesel engine.		27850	
DEL5A8	5.0HP 1500RPM WC portable 8 Lit diesel engine.		27850	
DEL6.5	6.5HP 1800RPM WC portable diesel engine.		28650	
DEL8	8.0HP 2200RPM WC portable diesel engine.		29750	
DE5	5.0HP 1500RPM WC diesel engine.		40525	
DE6.5	6.5HP 1500RPM WC diesel engine.		40900	
DE8	8.0HP 1500RPM WC diesel engine.		45050	
DE10	10.0HP 1500RPM W/COOLED DIESEL ENGINE		49450	
DE12	12.0 HP1800RPM W/COOLED DIESEL ENGINE		53975	
DE14	14.0 HP1500RPM W/COOLED DIESEL ENGINE		61850	
DEAL3.5	3.5HP 1500RPM AC light wt diesel engine.		30975	
DEAL5	5.0HP 1500RPM AC light wt diesel engine.		32575	
DEA5	5.0HP 1500RPM AC diesel engine.		46750	
DEA6	6.5HP 1500RPM AC diesel engine.		47450	
DEA8	8.0HP 1500RPM AC diesel engine.		48050	
DEA10	10HP 1500RPM AC diesel engine.		49900	
DEA12	12HP 1500RPM AC diesel engine.		81125	

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14AGRO					PRICE LIST
	PETROL START KEROSENE RUN ENGINES					Dt. 01.11.2013
RATING	PIPE SIZE SUC X DEL(MM)	HP	RPM(SYN)	HEAD RANGE (METRES)	DISCHARGE RANGE(LPM)	MRP
CKEM1.5G-VX	50 X 50	1.5	3000	6-13	450-200	14825
CKEM1.5G-JH	50 X 50	1.5	3000	6-13	450-200	14825
CKEM2G	50 X 50	2	3600	10-16	425-200	16400
CKEM2SP	50 X 50	2	3600	5-20	450-30	19525
CKEN3G	65 X 50	3	3600	12-19	600-200	21050
CKEP3G	75 X 65	3	3600	8-14	855-400	21400
CKEQ3SP- VX	75 X 75	3	3600	10-20	725-300	25775
PETROL START DIESEL RUN ENGINES						
DEM1.5G	50 X 50	1.5	3000	6-13	450-200	15125
DEN3G	65 X 50	3	3600	12-19	600-200	21750
DEP3G	75 X 65	3	3600	8-14	855-400	21950

DEWATERING PUMPS

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO							PRICE LIST
	DEWATERING PUMPS							Dt. 10.11.2013
Rating	PIPE SIZE SUC X DEL (MM)	HP	KW	RPM	SOLID HANDLING CAPACITY (MM)	HEAD RANGE (METRES)	DISCHARGE RANGE(LPM)	MRP
DEWATERING COUPLED WITH MOTOR								
DWJ12(1PH)	40 X 40	1	0.75	2820	7	6-15	270-60	19450
DWJ12	40 X 40	1	0.75	2820	7	6-15	270-60	18700
DWJ22	40 X 40	2	1.5	2830	8.5	9-20	375-80	25650
DWM32	50 X 50	3	2.2	2830	10.5	9-26	575-50	29575
DWQ5	80 X 80	5	3.7	1430	15.5	9-18	1125-380	46200
DWQ52	80 X 80	5	3.7	2840	7	20-36	575-125	43325
DWQ7.52	80 X 80	7.5	5.5	2865	14.5	20-36	925-190	48425
DWS10	100 X 100	10	7.5	1455	18.5	12-26	1960-402	94825
DWS12.5	100 X 100	12.5	9.3	1460	23	12-28	2340-340	100175
DWV20	150 X 150	20	15	1460	34	12-24	3790-1420	154275
DWV25	150 X 150	25	18.75	1475	40	12-26	4310-1180	174175
DEWATERING MONOBLOC PUMP								
DWMJ12(1PH)	40 X 40	1	0.75	2820	7	10.5-15	295-145	16725
DWMJ12(1PH)-M	40 X 40	1	0.75	2820	7	10.5-15	295-145	18775
DWMJ12	40 X 40	1	0.75	2820	7	10.5-15	295-145	15325
DWMJ12-M	40 X 40	1	0.75	2820	7	10.5-15	295-145	17325
DWMJ22	40 X 40	2	1.5	2830	8.5	12-18	410-210	18875
DWMJ22-M	40 X 40	2	1.5	2830	8.5	12-18	410-210	20950
DWMM32	50 X 50	3	2.2	2830	10.5	12-26	560-70	24425
DWMM32-M	50 X 50	3	2.2	2830	10.5	12-26	560-70	25600
DWMQ5	80 X 80	5	3.7	1430	15.5	9-18	1125-550	33925
DWMQ52	80 X 80	5	3.7	2840	7	21-36	550-125	33925
DWMQ7.52	80 X 80	7.5	5.5	2865	14.5	21-36	910-190	47600
DEWATERING BARE PUMP								
DWCJ12BP	40 X 40	1	0.75	2820	7	6-15	270-60	8300
DWCJ22BP	40 X 40	2	1.5	2830	8.5	9-20	375-80	11975
DWCM32BP	50 X 50	3	2.2	2830	10.5	9-26	575-50	13325
DWCQ5BP	80 X 80	5	3.7	1430	15.5	9-18	1125-380	18875
DWCQ52	80 X 80	5	3.7	2840	7	20-36	575-125	19775
DWCQ7.52	80 X 80	7.5	5.5	2865	14.5	20-36	925-190	20200
DWCS10	100 X 100	10	7.5	1455	18.5	12-26	1960-402	37350
DWCS12.5	100 X 100	12.5	9.3	1460	23	12-28	2340-340	37750
DWCV20	150 X 150	20	15	1460	34	12-24	3790-1420	82900
DWCV25	150 X 150	25	18.75	1475	40	12-26	4310-1180	87475

VERTICAL INLINE / DEWATERING SUBMERSIBLE / AIR TANK COMPRESSOR

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO						PRICE LIST
	VERTICLE INLINE / DEWATERING SUBMERSIBLE / AIR TANK COMPRESSOR						Dt. 10.11.2013
RATING	PIPE SIZE SUC X DEL (MM)	HP	KW	RPM(SYN)	HEAD RANGE (METRES)	DISCHARGE RANGE(LPM)	MRP
ILM052	32 X 32	0.5	0.37	3000	10-14	135-50	10800
ILM12	40 X 40	1	0.75	3000	10-16	240-130	12850
ILM22A	50 X 50	2	1.5	3000	12-18	400-250	19350
ILM32A	65 X 65	3	2.2	3000	14-20	575-340	21850
ILM52A	80 X 80	5	3.7	3000	18-24	875-550	27250
ILM7.52A	100 X 100	7.5	5.5	3000	14-24	1300-850	36450
ILM10.2A	100 X 100	10	7.5	3000	18-30	1400-900	44200
DEWATERING SUBMERSIBLE PUMP							
SSEWM0.52(1PH)	50	0.5	0.37	30	7-3	100-250	17950
SSEWM12(1PH)	50	1	0.75	30	10-4	150-350	25725
SSEWM22(1PH)	50	2	1.5	35	14-6	200-500	40200
SSEWM0.52(3PH)	50	0.5	0.37	30	7-3	100-250	17150
SSEWM12(3PH)	50	1	0.75	30	10-4	150-350	24400
SSEWM22(3PH)	50	2	1.5	35	14-6	200-500	38300
SSEWM32(3PH)	50	3	2.2	35	17-7	200-600	42100
SSEWQ52(3PH)	80	5	3.7	50	19-10	360-860	78900
SSEWQ7.52(3PH)	80	7.5	5.5	50	25-10	360-1100	95300
DEWATERING SUBMERSIBLE PUMP - P Series							
SSEWM12P(1PH)	50	1	0.75	40	6 - 10	300 - 150	18500
SSEWM1.52P(1PH)	50	1.5	1.1	40	8 - 14	350 - 90	19500
AIR TANK COMPRESSOR							
RATING	NO OF CYLINDERS	NO OF STAGES	HP	TANK CAPACITY (Ltrs)	MRP		
170TC1	1	1	1	70	21225		
190TC1	1	1	1	90	22100		
1110TC1	1	1	1	110	24175		
1110TC1.5	1	1	1.5	110	25500		
1130TC1.5	1	1	1.5	130	26050		
1160TC2	1	1	2	160	32275		
2110TC1.5	2	1	1.5	110	31350		
2130TC1.5	2	1	1.5	130	32850		
2130TC2	2	1	2	130	33650		
2160TC2	2	1	2	160	40125		
2160TC3	2	1	3	160	47075		
2250TC3	2	1	3	250	63625		
2250TC5	2	1	5	250	74100		
22160TC2	2	2	2	160	67025		
22160TC3	2	2	3	160	67825		
22250TC5	2	2	5	250	94800		
22250TC7.5	2	2	7.5	250	95825		
32500TC10	3	2	10	500	142200		
32500TC15	3	2	15	500	148350		

Note: 1) First digit denotes number of cylinder, next two or three digits denotes tank capacity in Ltrs. In case of 2 stage Tank Compressor, First digit denotes to no of cylinder, next digit denotes to No. of stage, next 2 or three digits denotes to tank capacity in Ltrs.

DOL STARTER

PUMPS DIVISION	PRICE LIST NO-M5/02/13-14/AGRO			PRICE LIST
	DOL 3PH STARTER			Dt. 10.11.2013
RATING	RELAY RANGE	CENTRIFUGAL PUMP HP	SUBMERSIBLE PUMP HP	MRP
3PH DOL STARTER				
CG1D1525	1.5 to 2.5 A	1	1	1575
CG1D2540	2.5 to 4 A	2	1.5	1575
CG1D4065	4 to 6.5 A	3	2	1575
CG1D60100	6 to 10 A	5	3	1575
CG1D90140	9 to 14 A	7.5	5	1575
CG1D130220	13 to 22 A	10	7.5	1575

DELETED RATINGS

	PRICE LIST NO-M5/02/13-14/AGRO	PRICE LIST
PUMPS DIVISION	DELETED RATINGS	Dt. 10.11.2013

Rating	MRP	Rating	MRP	Rating	MRP
MBN+7.52	29250	6W6D7.5S/D	42300	6W24Z7.5(I)	58625
MBJL12	9000	6W4F7.5S/D	39400	6W28Z7.5(I)	61800
MBR12.52	41075	6W5F7.5S/D	40250	6W5A3(I)	29850
MBRH12.52	41075	6W4G7.5S/D	39400	6W6A3(I)	30625
MBK52(1PH)	25000	6W3H7.5S/D	37600	6W7A3(I)	31475
MBJL12	9000	6W6E7.5(T)S/D	42300	6W8A4(I)	34225
MBP32(1PH)	21975	6W8D7.5(T)S/D	45300	6W10A5(I)	39250
MBNL32(1 PH)	21450	6W8R7.5S/D	41350	6W12A5(I)	41550
6W5A3	29075	6W8R7.5(T)S/D	41350	6W14A6(I)	46150
6W6A3	29850	150W5A3	28275	6W16A7.5(I)	51300
6W7A3	30725	150W6A3	29000	6W18A7.5(I)	53000
6W8A4	31550	150W7A3	29825	6W4B3(I)	29025
6W10A5	35375	150W8A4	30625	6W5B3(I)	29850
6W12A5	37500	150W10A5	34350	6W6B4(I)	32650
6W14A6	41725	150W12A5	36375	6W8B5(I)	36650
6W16A7.5	46000	150W14A6	40550	6W10B6(I)	41950
6W18A7.5	47575	150W16A7.5	44650	6W12B7.5(I)	47825
6W20A10	53625	150W18A7.5	46225	6W5C5(I)	34200
6W24A10	58050	150W4B3	27450	6W8C7.5(I)	42925
6W4B3	28275	150W5B3	28175	OSDH12	13325
6W5B3	29000	150W6B4	29000	DES5	49075
6W6B4	29850	150W8B5	32150	LMANL32TAA	15200
6W8B5	33100	150W10B6	37450	LMAPL32TAA	15200
6W10B6	38500	150W12B7.5	41450	LMAPL52TAA	19375
6W12B7.5	42600	150W5C5	29700	LMANM52TAA	19375
6W14B10	48175	150W8C7.5	36500	LMANM752TAA	24300
6W16B10	50000	150W8Z3	30025	LMAPL752TAA	24300
6W5C5	30575	150W9Z3	30750	LMANM102TAA	30775
6W8C7.5	37625	150W10Z3	31675	LMAPM102TAA	30775
6W10C10	43650	150W12Z4	34825	LMANL22SAA	13400
6W8Z3	31225	150W14Z4	36350	LMAML22SAA	13400
6W9Z3	32000	150W16Z5	39600	MBN22(I)-VX	13400
6W10Z3	32900	150W18Z5	41000	MBP22(1PH)	13400
6W12Z4	36225	150W20Z6	45850	MBP22(1PH)LV	13400
6W14Z4	37825	150W24Z7.5	50825	MBP22(I)	13400
6W16Z5	41200	150W28Z7.5	53900	CMB05N	8750
6W18Z5	42675	150W20B12.5	64150	CMB10N	11200
6W20Z6	47650	150W26B17.5	74225	SDMDM052SAGCI	6175
6W24Z7.5	52825	6W8Z3(I)	32250	AQUAGOLD III	4000
6W28Z7.5	56050	6W9Z3(I)	34050	JM22T	22550
6W16A7.5S/D	47150	6W10Z3(I)	34850		
6W18A7.5S/D	48775	6W12Z4(I)	39200		
6W12B7.5S/D	43750	6W14Z4(I)	41100		
6W8C7.5S/D	38700	6W16Z5(I)	45000		
6W7R7.5S/D	40250	6W18Z5(I)	46675		
6W9J7.5 S/D	43300	6W20Z6(I)	51025		



Smart solutions.
Strong relationships.

Crompton Pumps

'4CSS' Series

Stainless Steel Submersible Pumpsets

Salient Features:

- Abrasion & corrosion-resistant construction
- State-of-the-art hydraulics provide 40% high efficiency
- Resistance to wear caused by sand and other abrasives
- Negligible maintenance cost even after years of operations
- Components machined on very precise CNC
- Suitable for wide voltage operation

Stainless
Steel Pumpsets

Suitable for
Sandy Bores*

40% Power
Saving*



* Conditions apply

Crompton Greaves Limited

CG Call Center Toll Free 1-800-419-0505

www.cgglobal.com

Crompton Greaves Limited **Pumps Division**

Plot No. C-19, MIDC, Ahmednagar - 414 111
Tel.: 0241-6606500 Fax.: 0241-6606550, 6606560

Regd. Office:
CG House, 6th Floor, Dr. Annie Besant Road, Worli, Mumbai - 400 030, India
W: www.cgglobal.com

